

Product datasheet for RC217421

G protein alpha S (GNAS) (NM_001077490) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: G protein alpha S (GNAS) (NM_001077490) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: GNAS
Synonyms: AHO; C20orf45; GNAS1; GPSA; GSA; GSP; NESP; PITA3; POH; SCG6; SgVI
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC217421 representing NM_001077490
Red=Cloning site Blue=ORF Green=Tags(s)

CTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGATGGCGAGGCCTGTGGACCCAGAGGTCTCCAGACCAACTTTCAGGTCTCAACCCGGCATTTCAG
GGAAGCTGGAGCCATGGAAGCTACAGCCACCTCCTGAGGAAGCAATGCCCTTCGAGGCTGAACAGCCC
AGCTTGGGAGGCTTCTGGCCTACACTGGAGCAGCCTGGATTCCCCAGTGGGTCCATGCAGGCCTTGAGG
CCTTCGGCCAGCACTCATGGAGCCCGAGCCTTCAGTGGTGCCAGACCAGGCCTGGGAGGATACAGCCC
TCCACCAGAAGAAGCTATGCCCTTTGAGTTTGACCAGCCTGCCAGAGAGGCTGCAGTCAACTTCTCTTA
CAGGTCCAGACCTTGCTCCAGGAGGCCAGGTGCTGCAGGGTCCCGGAGCTCCTCCGAGGAGCCCC
AAGCCCTCAGGCCTGAAAGGCTGGCTCCAGAGGAGGCTACAGCCCTCCCCTGAGGAGACTATGCCATT
TGAGCTTGATGGAGAAGGATTTGGGGACGACAGCCACCCCGGGGCTTCCCGAGTTATCGACAAGTC
GACGGCAGCAGCCAGTTCGCGGCAGTCGCGGC

CTCGAGCAGAAACTCATCTCTGAAGAGGATCTGGCAGCAATGATATCCTGGATTACAAGGATGACGACG
ATAAGGTTTAA

Protein Sequence: >RC217421 representing NM_001077490
Red=Cloning site Green=Tags(s)

MMARPVDPQRSPDPTFRSSTRHSGKLEPMEATAHLLRKQCP SRLNSPAWEASGLHWSSLDSPVGSQMQLR
PSAQHSWSPEPSVVPDQAWEDTALHQKLCPLSLTSLPREAAVNF SYRSQTLLQEAQVLQGSPELLPRSP
KPSGLQRLAPEEATALPLRRLCHLSLMEKDLGTTAHPRGFPELSHKSTAAASSRQSR


LEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_001077490

ORF Size: 592 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq Size:	3784 bp
RefSeq ORF:	1881 bp
Locus ID:	2778
UniProt ID:	P84996
Cytogenetics:	20q13.32
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	Calcium signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling pathway, Long-term depression, Melanogenesis, Taste transduction, Vascular smooth muscle contraction, Vibrio cholerae infection
MW:	21.82 kDa
Gene Summary:	<p>This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, and this DMR is commonly found in imprinted genes and correlates with transcript expression. An antisense transcript is produced from an overlapping locus on the opposite strand. One of the transcripts produced from this locus, and the antisense transcript, are paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular responses. Multiple transcript variants encoding different isoforms have been found for this gene. Mutations in this gene result in pseudohypoparathyroidism type 1a, pseudohypoparathyroidism type 1b, Albright hereditary osteodystrophy, pseudopseudohypoparathyroidism, McCune-Albright syndrome, progressive osseus heteroplasia, polyostotic fibrous dysplasia of bone, and some pituitary tumors. [provided by RefSeq, Aug 2012]</p>