

Product datasheet for RC217461

DGKB (NM_004080) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DGKB (NM_004080) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DGKB
Synonyms:	DAGK2; DGK; DGK-BETA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN:	NM_004080
ORF Size:	2412 bp




[View online >](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004080.1 , NP_004071.1
RefSeq Size:	3926 bp
RefSeq ORF:	2415 bp
Locus ID:	1607
UniProt ID:	Q9Y6T7
Cytogenetics:	7p21.2
Domains:	DAGKa, DAGKc, EFh, DAG_PE-bind
Protein Families:	Druggable Genome
Protein Pathways:	Glycerolipid metabolism, Glycerophospholipid metabolism, Metabolic pathways, Phosphatidylinositol signaling system
MW:	90.4 kDa
Gene Summary:	Diacylglycerol kinases (DGKs) are regulators of the intracellular concentration of the second messenger diacylglycerol (DAG) and thus play a key role in cellular processes. Nine mammalian isotypes have been identified, which are encoded by separate genes. Mammalian DGK isozymes contain a conserved catalytic (kinase) domain and a cysteine-rich domain (CRD). The protein encoded by this gene is a diacylglycerol kinase, beta isotype. Several alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Apr 2017]

Product images:



Circular map for RC217461



Coomassie blue staining of purified DGKB protein (Cat# [TP317461]). The protein was produced from HEK293T cells transfected with DGKB cDNA clone (Cat# RC217461) using MegaTran 2.0 (Cat# [TT210002]).