

## Product datasheet for **RC217464**

### **NETO1 (NM\_138999) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** NETO1 (NM\_138999) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** NETO1  
**Synonyms:** BCTL1; BTCL1  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC217464 representing NM\_138999  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGCTGGCAGAGCCATTCCCTAAGGTTGTAGCAAGTTTAAATCATCCTCCATTTGTCTGGGGCAACCAAGA  
AAGGAACAGAAAAGCAAACCACCTCAGAAACACAGAAGTCAGTGCAGTGTGGAAC TTGGACAAAACATGC  
AGAGGGAGGTATCTTTACCTCTCCCAACTATCCCAGCAAGTATCCCCCTGACCGGAATGCATCTACATC  
ATAGAAGCGCTCCAAGACAGTGCATTGAAC TTTACTTTGATGAAAAGTACTCTATTGAACCGTCTTGGG  
AGTGCAAATTTGATCATATTGAAGTTCGAGATGGAC TTTTGGCTTTTCTCCAATAATTGGACGTTTCTG  
TGGACAACAAAATCCACCTGTCATAAAAATCCAGTGAAGATTTCTATGGATTAATTTTTTCTGATGGA  
GAGCTGGAATCTATGGGATTTTCAGCTCGATACAATTTACACCTGAA

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC217464 representing NM\_138999  
**Red=Cloning site Green=Tags(s)**  
MLAEPFPKVVASLIILHLSGATKKGTEKQTTSETQKSVQCGTWTKHAEGGIFTSPNYPKYPPDRECIYI  
IEAAPRQCIELYFDEKYSIEPSWECKFDHIEVRDGPFGFSPIIGRFCGQQNPPVIKSSGRFLWIKFFADG  
ELES MGFSARYNFTPE

**TR**TRPLEQKLI SEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8102\\_h02.zip](https://cdn.origene.com/chromatograms/mk8102_h02.zip)



[View online >](#)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_138999

**ORF Size:** 468 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_138999.2](#)

**RefSeq Size:** 1849 bp

**RefSeq ORF:** 471 bp

**Locus ID:** 81832

**UniProt ID:** [Q8TDF5](#)


**Cytogenetics:** 18q22.3

**Protein Families:** Druggable Genome, Transmembrane


**MW:** 17.7 kDa

**Gene Summary:** This gene encodes a transmembrane protein containing two extracellular CUB domains followed by a low-density lipoprotein class A (LDLa) domain. This protein is thought to play a critical role in spatial learning and memory by regulating the function of synaptic N-methyl-D-aspartic acid receptor complexes in the hippocampus. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Aug 2017]

### Product images:



Circular map for RC217464



Western blot validation of overexpression lysate (Cat# [LY408430]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217464 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).