


# Product datasheet for RC217581L1

## ADAMTS9 (NM\_182920) Human Tagged Lenti ORF Clone

### **Product data:**

Product Type:	Expression Plasmids
Product Name:	ADAMTS9 (NM_182920) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	ADAMTS9
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC217581).
<b>Restriction Sites:</b>	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling: Sgf I ORF Mlu I GCG ATC GC ATG // NNN ACG CGT



\* The last codon before the Stop codon of the ORF.

ACCN: ORF Size: NM\_182920 5805 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


	AMTS9 (NM_182920) Human Tagged Lenti ORF Clone – RC217581L1
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Meth	<ul> <li>od: 1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ul>
RefSeq:	<u>NM 182920.1</u>
RefSeq Size:	7335 bp
RefSeq ORF:	5808 bp
Locus ID:	56999
UniProt ID:	<u>Q9P2N4</u>
Cytogenetics:	3p14.1
Protein Families:	Druggable Genome
MW:	214.4 kDa

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 


### Scheme ADAMTS9 (NM\_182920) Human Tagged Lenti ORF Clone – RC217581L1

Gene Summary:This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with<br/>thrombospondin motifs) protein family. Members of the family share several distinct protein<br/>modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like<br/>domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in<br/>the number of C-terminal TS motifs, and some have unique C-terminal domains. Members of<br/>the ADAMTS family have been implicated in the cleavage of proteoglycans, the control of<br/>organ shape during development, and the inhibition of angiogenesis. This gene is localized to<br/>chromosome 3p14.3-p14.2, an area known to be lost in hereditary renal tumors. Alternative<br/>splicing results in multiple transcript variants encoding different isoforms that may undergo<br/>similar proteolytic processing. [provided by RefSeq, Jan 2016]

## **Product images:**



Circular map for RC217581L1



Double digestion of RC217581L1 using Sgfl and Mlul

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US