

Product datasheet for RC217586L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TdT (DNTT) (NM_004088) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TdT (DNTT) (NM_004088) Human Tagged Lenti ORF Clone

Tag:mGFPSymbol:TdTSynonyms:TDT

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC217586).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_004088

ORF Size: 1527 bp





TdT (DNTT) (NM_004088) Human Tagged Lenti ORF Clone - RC217586L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004088.3</u>

RefSeq Size:2071 bpRefSeq ORF:1530 bpLocus ID:1791

 UniProt ID:
 P04053

 Cytogenetics:
 10q24.1

Protein Pathways: Hematopoietic cell lineage, Non-homologous end-joining

MW: 58.4 kDa


Gene Summary: This gene is a member of the DNA polymerase type-X family and encodes a template-

independent DNA polymerase that catalyzes the addition of deoxynucleotides to the 3'-hydroxyl terminus of oligonucleotide primers. In vivo, the encoded protein is expressed in a restricted population of normal and malignant pre-B and pre-T lymphocytes during early differentiation, where it generates antigen receptor diversity by synthesizing non-germ line elements (N-regions) at the junctions of rearranged Ig heavy chain and T cell receptor gene segments. Alternatively spliced transcript variants encoding different isoforms of this gene


have been described. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC217586L4



Double digestion of RC217586L4 using Sgfl and Mlul $\,$