

Product datasheet for **RC217591L4V**

Cyclin B3 (CCNB3) (NM_033031) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Cyclin B3 (CCNB3) (NM_033031) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Cyclin B3
Synonyms:	CYCB3
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_033031
ORF Size:	4185 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC217591).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	NM_033031.1 , NP_149020.1
RefSeq Size:	4513 bp
RefSeq ORF:	4188 bp
Locus ID:	85417
UniProt ID:	Q8WWL7
Cytogenetics:	Xp11.22
Protein Families:	Druggable Genome
Protein Pathways:	Cell cycle, p53 signaling pathway, Progesterone-mediated oocyte maturation



[View online »](#)

MW: 157.7 kDa

Gene Summary: The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as positive regulators of cyclin-dependent kinases (CDKs), and thereby play an essential role in the control of the cell cycle. Different cyclins exhibit distinct expression and degradation patterns, which contribute to the temporal coordination of each mitotic event. Studies of similar genes in chicken and drosophila suggest that this cyclin may associate with CDC2 and CDK2 kinases, and may be required for proper spindle reorganization and restoration of the interphase nucleus. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Oct 2011]