

Product datasheet for **RC217634**

CDK2 (NM_052827) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CDK2 (NM_052827) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CDK2
Synonyms:	CDKN2; p33(CDK2)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC217634 representing NM_052827 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGAGAACTTCCAAAAGGTGGAAAAGATCGGAGAGGGCACGTACGGAGTTGTGTACAAAGCCAGAAACA
AGTTGACGGGAGAGGTGGTGGCGCTTAAGAAAATCCGCCGACTGAGACTGAGGGTGTGCCAGTAC
TGCCATCCGAGAGATCTCTCTGCTTAAGGAGCTTAACCATCTAATATTGTCAAGCTGCTGGATGCATT
CACACAGAAAATAAACTCTACCTGGTTTTGAATTTCTGCACCAAGATCTCAAGAAATTCATGGATGCCT
CTGCTCTCACTGGCATTCTCTCCCTCATCAAGAGCTATCTGTTCCAGCTGCTCCAGGGCCTAGCTTT
CTGCCATTCTCATCGGGTCCACCGAGACCTTAAACCTCAGAATCTGCTTATTAACACAGAGGGGGCC
ATCAAGCTAGCAGACTTTGGACTAGCCAGAGCTTTGGAGTCCCTGTTCTGTACTTACACCCATGAGGTGA
CTCGCCGGGCCCTATCCCTGGAGATTCTGAGATTGACCAGCTCTCCGGATCTTTCCGACTCTGGGGAC
CCCAGATGAGGTGGTGTGGCCAGGAGTTACTTCTATGCCTGATTACAAGCCAAGTTTCCCAAGTGGGCC
CGGCAAGATTTTAGTAAAGTTGTACCTCCCTGGATGAAGATGGACGGAGCTTGTATCGCAAATGCTGC
ACTACGACCCTTACAAGAGGATTCGGCCAAGGCAGCCCTGGCTACCCTTTCTCCAGGATGTACCAA
GCCAGTACCCATCTTCGACTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC217634 representing NM_052827
 Red=Cloning site Green=Tags(s)

MENFQKVEKIGEGTYGVVYKARNKLTGEVVALKKIRLDTETEGVPSTAIRESISLLKELNHPNIVKLLDVI
 HTENKLYLVFEFLHQDLKKFMDASALTGIPPLIKSYLFQLLQGLAFCHSHRVLHRDLKPQNLLINTEGA
 IKLADFGLARAFGVVPRTYTHEVTRRALFPGDSEIDQLFRIFRTLGTDPDEVVWPGVTSMPDYKPSFPKWA
 RQDFSKVVPPLDEDGRSLLSQMLHYDPYKRISAKAALAHPPFFQDVTKPVPHLRL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1477_e12.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_052827

ORF Size: 792 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_052827.1 , NP_439892.1
RefSeq Size:	2226 bp
RefSeq ORF:	795 bp
Locus ID:	1017
UniProt ID:	P24941
Cytogenetics:	12q13.2
Domains:	pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Cell cycle, Oocyte meiosis, p53 signaling pathway, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Small cell lung cancer
MW:	29.9 kDa
Gene Summary:	This gene encodes a member of a family of serine/threonine protein kinases that participate in cell cycle regulation. The encoded protein is the catalytic subunit of the cyclin-dependent protein kinase complex, which regulates progression through the cell cycle. Activity of this protein is especially critical during the G1 to S phase transition. This protein associates with and regulated by other subunits of the complex including cyclin A or E, CDK inhibitor p21Cip1 (CDKN1A), and p27Kip1 (CDKN1B). Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2014]

Product images:



Circular map for RC217634



Western blot validation of overexpression lysate (Cat# [LY409442]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217634 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).