

Product datasheet for RC217702L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PKC epsilon (PRKCE) (NM_005400) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PKC epsilon (PRKCE) (NM_005400) Human Tagged ORF Clone Lentiviral Particle

Symbol: PKC epsilon

Synonyms: nPKC-epsilon; PKCE

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_005400

ORF Size: 2211 bp

ORF Nucleotide Sequence:

The ORF insert of this clone is exactly the same as(RC217702).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005400.2

 RefSeq Size:
 5537 bp

 RefSeq ORF:
 2214 bp

 Locus ID:
 5581


 UniProt ID:
 Q02156

 Cytogenetics:
 2p21

Domains: C2, pkinase, S_TK_X, TyrKc, DAG_PE-bind, S_TKc

Protein Families: Druggable Genome, Protein Kinase





ORIGENE

Protein Pathways: Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Tight junction, Type II

diabetes mellitus, Vascular smooth muscle contraction

MW: 83.5 kDa

Gene Summary: Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be

activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This kinase has been shown to be involved in many different cellular functions, such as neuron channel activation, apoptosis, cardioprotection from ischemia, heat shock response, as well as insulin exocytosis. Knockout studies in mice suggest that this kinase is important for lipopolysaccharide (LPS)-mediated signaling in activated macrophages and may also play a role in controlling anxiety-like behavior.

[provided by RefSeq, Jul 2008]