

# Product datasheet for RC217714L4V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **NEK3 (NM\_002498) Human Tagged ORF Clone Lentiviral Particle**

### **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** NEK3 (NM\_002498) Human Tagged ORF Clone Lentiviral Particle

Symbol: NEK3
Synonyms: HSPK36

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_002498 **ORF Size:** 1518 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC217714).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 002498.1</u>

 RefSeq Size:
 2332 bp

 RefSeq ORF:
 1521 bp

 Locus ID:
 4752

 UniProt ID:
 P51956

 Cytogenetics:
 13q14.3

**Protein Families:** Druggable Genome, Protein Kinase

**MW:** 57.5 kDa







### **Gene Summary:**

This gene encodes a member of the NimA (never in mitosis A) family of serine/threonine protein kinases. The encoded protein differs from other NimA family members in that it is not cell cycle regulated and is found primarily in the cytoplasm. The kinase is activated by prolactin stimulation, leading to phosphorylation of VAV2 guanine nucleotide exchange factor, paxillin, and activation of the RAC1 GTPase. Two functional alleles for this gene have been identified in humans. The reference genome assembly (GRCh38) represents a functional allele that is associated with the inclusion of an additional coding exon in protein-coding transcripts, compared to an alternate functional allele that lacks the exon. [provided by RefSeq, Sep 2019]