

## Product datasheet for RC217743

### OR8B8 (NM\_012378) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	OR8B8 (NM_012378) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR8B8
Synonyms:	TPCR85
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC217743 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCTGCTGAGAATTCCTCCTTCGTGACACAGTTTATCCTCGCAGGCTTAAGTACCAACCGGGAGTCC  
AGATCCCCCTCTTCTTCTGTTTCTAGGCTTCTACGTGGTCACTGTGGTGGGAACCTGGGCTTGATAAC  
CCTGATAAGGCTCAACTCTCACTTGCACACCCCTATGTAATCTTCTCTATAACTTGCCTTCATAGAT  
TTCTGCTATTCCAGTGTATCACTCCAAAATGCTGATGAGCTTTGTCTTAAAGAAGAACAGCATCTCT  
ACGCAGGGTGTATGACTCAGCTTCTTCTTTCTTTCTTTGTTGTCTCTGAGTCCTTCATCCTGTCAGC  
AATGGCGTATGACCGCTATGTGGCCATCTGTAACCCACTGTTGTACATGGTACCATGTCTCCCCAGGTG  
TGTTTTCTCCTTTGTTGGGTGTCTATGGGATGGGTTTGTGGGCCATGGCCACACAGCGTGCATGA  
TGGGTGTGACCTTCTGTGCCAATAACCTTGTCAACCACTACATGTGTGACATCCTTCCCCTTCTTGAGTG  
TGCTTGCACCAGCACCTATGTGAATGAGCTTGTAGTGTGTTGTTGTTGGGCATTGATATTGGTGTGCC  
ACAGTCACCATCTTCATTTCTATGCTCTCATTCTCCAGCATCTTCCACATTGATTCCACGGAGGGCA  
GGTCCAAAGCCTCAGCACCTGCAGTCCACATAATTGCAGTTTCTCTGTTCTTTGGGTGAGGAGCATT  
CATGTACCTCAAACCTTTTCTTTTAGCTATGAACAGGGCAAGGTGTCTTCCCTATTCTATACCACT  
GTGGTGCCCATGCTCAACCCATTAATTTATAGCCTGAGGAATAAGGACGTCAAAGTTGCTCTAAAGAAA  
TCTTGAACAAAATGCATTCTCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC217743 protein sequence  
Red=Cloning site Green=Tags(s)

MAAENSSFVTQFILAGLTDQPGVQIPLFFLFLGFYVVTVVGNLGLITLIRLNHLHTPMYFFLYNLSFID  
 FCYSSVITPKMLMSFVLKKNISYAGCMTQLFFFLFFVSESFILSAMAYDRYVAICNPLLYMVTMSPQV  
 CFLLLLGVYGMGFAGAMAHTACMMGVTFCANL VNHYMCDILP LLECACTSTYVNELVVFVVVIGIDIGVP  
 TVTIFISYALILSSI FHI DSTEGRSKAFSTCSSHIIAVSLFFGSGAFMYLKPFSLLAMNQKVSSLFYTT  
 VVPM LNPLIYSLRNKDKVYALKKILNKNAFS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6467\\_c03.zip](https://cdn.origene.com/chromatograms/mk6467_c03.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_012378

**ORF Size:** 933 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

**RefSeq:** [NM\\_012378.1](#), [NP\\_036510.1](#)

**RefSeq Size:** 936 bp

**RefSeq ORF:** 936 bp

**Locus ID:** 26493

**UniProt ID:** [Q15620](#)

**Cytogenetics:** 11q24.2


**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Olfactory transduction

**MW:** 34.5 kDa

**Gene Summary:** Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC217743