

## Product datasheet for RC217874L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## IRF7 (NM\_004029) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** IRF7 (NM\_004029) Human Tagged ORF Clone Lentiviral Particle

Symbol: IRF7

Synonyms: IMD39; IRF-7; IRF-7H; IRF7A; IRF7B; IRF7C; IRF7H

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_004029 **ORF Size:** 1422 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC217874).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 004029.1

 RefSeq Size:
 1816 bp

 RefSeq ORF:
 1425 bp

 Locus ID:
 3665

 UniProt ID:
 Q92985

 Cytogenetics:
 11p15.5

Domains: IRF

**Protein Families:** Transcription Factors





## IRF7 (NM\_004029) Human Tagged ORF Clone Lentiviral Particle - RC217874L4V

**Protein Pathways:** Cytosolic DNA-sensing pathway, RIG-I-like receptor signaling pathway, Toll-like receptor

signaling pathway

**MW:** 51.3 kDa

**Gene Summary:** IRF7 encodes interferon regulatory factor 7, a member of the interferon regulatory

transcription factor (IRF) family. IRF7 has been shown to play a role in the transcriptional activation of virus-inducible cellular genes, including interferon beta chain genes. Inducible expression of IRF7 is largely restricted to lymphoid tissue. Multiple IRF7 transcript variants have been identified, although the functional consequences of these have not yet been

established. [provided by RefSeq, Jul 2008]