

# Product datasheet for RC217876L4

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## LARGE (LARGE1) (NM\_004737) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: LARGE (LARGE1) (NM\_004737) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: LARGE

Synonyms: LARGE; MDC1D; MDDGA6; MDDGB6

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC217876).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_004737

ORF Size: 2268 bp



## LARGE (LARGE1) (NM\_004737) Human Tagged Lenti ORF Clone - RC217876L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 004737.3</u>

RefSeq Size:4194 bpRefSeq ORF:2271 bpLocus ID:9215

UniProt ID: <u>095461</u>
Cytogenetics: 22q12.3

**Domains:** Glyco transf 8

**Protein Families:** Druggable Genome, Transmembrane

**MW:** 87.9 kDa

**Gene Summary:** This gene encodes a member of the N-acetylglucosaminyltransferase gene family. It encodes


a glycosyltransferase which participates in glycosylation of alpha-dystroglycan, and may carry out the synthesis of glycoprotein and glycosphingolipid sugar chains. It may also be involved in the addition of a repeated disaccharide unit. The protein encoded by this gene is the glycotransferase that adds the final xylose and glucuronic acid to alpha-dystroglycan and thereby allows alpha-dystroglycan to bind ligands including laminin 211 and neurexin.

Mutations in this gene cause several forms of congenital muscular dystrophy characterized by cognitive disability and abnormal glycosylation of alpha-dystroglycan. Alternative splicing of this gene results in multiple transcript variants that encode the same protein. [provided by

RefSeq, May 2018]



# **Product images:**



Circular map for RC217876L4