

## **Product datasheet for RC217882L4**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Integrin alpha 3 (ITGA3) (NM\_002204) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Integrin alpha 3 (ITGA3) (NM\_002204) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Integrin alpha 3

Synonyms: CD49C; FRP-2; GAP-B3; GAPB3; ILNEB; MSK18; VCA-2; VL3A; VLA3a

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC217882).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

ACCN: NM\_002204

ORF Size: 3153 bp



#### Integrin alpha 3 (ITGA3) (NM\_002204) Human Tagged Lenti ORF Clone - RC217882L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 002204.1</u>

 RefSeq Size:
 4637 bp

 RefSeq ORF:
 3156 bp

 Locus ID:
 3675

 UniProt ID:
 P26006

 Cytogenetics:
 17q21.33

**Protein Families:** Druggable Genome, Transmembrane

Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Dilated cardiomyopathy, ECM-

receptor interaction, Focal adhesion, Hematopoietic cell lineage, Hypertrophic

cardiomyopathy (HCM), Pathways in cancer, Regulation of actin cytoskeleton, Small cell lung

cancer

MW: 116.64 kDa


**Gene Summary:** The gene encodes a member of the integrin alpha chain family of proteins. Integrins are

heterodimeric integral membrane proteins composed of an alpha chain and a beta chain that function as cell surface adhesion molecules. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 3 subunit. This subunit joins with a beta 1 subunit to form an integrin that interacts with extracellular matrix proteins including members of the laminin family. Expression of this gene may be correlated with


breast cancer metastasis. [provided by RefSeq, Oct 2015]



# **Product images:**



Circular map for RC217882L4



Double digestion of RC217882L4 using Sgfl and Mlul