

Product datasheet for **RC217897**

NEDD4 2 (NEDD4L) (NM_015277) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NEDD4 2 (NEDD4L) (NM_015277) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NEDD4 2
Synonyms:	hNEDD4-2; NEDD4-2; NEDD4.2; PVNH7; RSP5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC217897 representing NM_015277
 Red=Cloning site Blue=ORF Green=Tags(s)


TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGACCGGGCTCGGGGAGCCGGTCTATGGACTTTCGAAGACGAGGGAGAGTCCCGTATTCTCAGAG
 TAAAAGTTGTTTCTGGAATTGATCTCGCCAAAAAGGACATCTTTGGAGCCAGTGATCCGTATGTGAAACT
 TTCATTGTACGTAGCGGATGAGAATAGAGAACTTGCTTTGGTCCAGACAAAAACAATTAAGGACACTG
 AACCCAAAATGGAATGAAGAATTTATTTAGGGTAAACCCATCTAATCACAGACTCCTATTGAAGTAT
 TTGACGAAAATAGACTGACACGAGACGACTTCTGGGCCAGGTGGACGTGCCCTTAGTCACCTCCGAC
 AGAAGATCCAACCATGGAGCGACCCTATACATTTAAGGACTTCTCCTCAGACCAAGAAGTCATAAGTCT
 CGAGTTAAGGGATTTTTCGATTGAAAAAGCCTATATGCCAAAAATGGAGGTCAAGATGAAGAAAAACA
 GTGACCAGAGGGATGACATGGAGCATGGATGGGAAGTTGTTGACTCAAATGACTCGGCTTCTCAGCACCA
 AGAGGAACCTCCTCCTCCTCTGCTCCCGGTGGGAAGAAAAAGTGGACAATTTAGGCCGAACCTTAC
 TATGTCAACCACAACAACCGGACCCTCAGTGGCACAGACCAAGCCTGATGGACGTGTCCCTCGGAGTCGG
 ACAATAACATCAGACAGATCAACCAGGAGGCAGCACACCGGCGCTTCCGCTCCCGCAGGCACATCAGCGA
 AGACTTGGAGCCCGAGCCCTCGGAGGGCGGGATGTCCCGAGCCTTGGGAGACCATTTAGAGGAAGTG
 AATATCGCTGGAGACTCTCTCGGTCTGGCTCTGCCCCACCACCGGCTCCCGAGGATCTCGGACCAGCC
 CTCAGGAGCTGTGAGGAACTAAGCAGAAGGCTTCAAGTCACTCCAGACTCCAATGGGGAACAGTTCAG
 CTCTTTGATTCAAAGAGAACCCTCCTCAAGTTGAGGTGATGCAGTGTACCGACGCAGTTGCAGAACAG
 GGCCATCTACCACCGCCATCAGTGGCCTATGTACATACCACCGCGGTCTGCCTCAGGCTGGGAAGAAA
 GAAAAGATGCTAAGGGGCGCACATACTATGTCAATCATAACAATCGAACCAACTTGGACTCGACCTAT
 CATGCAGCTTGCAGAAGATGGTGGCTCCGGATCAGCCACAACAGTAACAACCATCTAATCGAGCCTCAG
 ATCCGCGGCTCGTAGCCTCAGCTCGCCAACAGTAACCTTATCTGCCCGCTGGAGGTGCCAAGGACT
 CACCCGTACGTCGGGCTGTGAAAGACACCCTTTCCAACCCACAGTCCCCACAGCCATCACCTTACAACCT
 CCCCAAACCACAACAAAGTACACAGAGCTTCTTCCACCCGGCTGGGAAATGAGGATAGCGCCAAAC
 GGCCGGCCCTTCTTATTGATCATAACACAAGACTACAACCTGGGAAGATCCACGTTTGAATTTCCAG
 TACATATGCGGTCAAAGACATCTTTAAACCCCAATGACCTTGGCCCTTCTCCTGGCTGGGAAGAAAG
 AATTCACTTGGATGGCCGAACGTTTTATATTGATCATAATAGCAAATTAAGTGGGAAGACCAAGA
 CTGCAGAACCCAGCTATTACTGGTCCGGCTGTCCCTTACTCCAGAGAATTTAAGCAGAAATATGACTACT
 TCAGGAAGAAATTAAGAAACCTGCTGATATCCCAATAGGTTTGAATGAACTTCACAGAAATACAT
 ATTTGAAGAGTCTATCGGAGAATTATGTCCTGAAAAGACCAGATGTCTAAAAGCTAGACTGTGGATT
 GAGTTTGAATCAGAGAAAGGCTTGGACTATGGGGGTGGCCAGAGAATGGTTCTTCTTACTGTCCAAAG
 AGATGTTCAACCCCTACTACGGCCTTTGAGTACTCTGCCACGGACAACACACCCCTCAGATCAACCC
 TAATTCAGGCCTCTGTAATGAGGATCATTTGCTCTACTTCACTTTTATTGGAAGAGTTGCTGGTCTGGCC
 GTATTTTATGGGAAGCTCTTAGATGGTTTCTTATTAGACCATTTACAAGATGATGTTGGGAAAGCAGA
 TAACCCGTAATGACATGGAATCTGTGGATAGTGAATTTACAACCTTTGAAATGGATCCTGGAGAATGA
 CCCTACTGAGCTGGACCTCATGTTCTGCATAGACGAAGAAAACCTTTGGACAGACATCAAGTGGATTG
 AAGCCCAATGGTGCAGAAATAATGGTCAAAAATGAAAACAAAAGGGAATATATCGACTTAGTCATCCAGT
 GGAGATTTGTGAACAGGGTCCAGAAGCAGATGAACGCCTTCTTGGAGGGATTCACAGAACTACTTCTAT
 TGATTTGATTAATAATTTTACGAAAAATGAGCTGGAGTTGCTCATGTGCGGCTCGGTGATGTGGATGTG
 AATGACTGGAGACAGCATTCTATTTACAAGAACGGCTACTGCCAAACCACCCCGTCACTCAGTGGTTCT
 GGAAGGCTGTGCTACTCATGGACGCCGAAAAGCGTATCCGGTACTGCAGTTTGCACAGGGACATCGCG
 AGTACCTATGAATGGATTTGCCGAACCTTATGGTTCCAATGGTCTCAGCTGTTTACAATAGAGCAATGG
 GGCAGTCTGAGAACTGCCAGAGCTCACACATGCTTTAATCGCCTTGACTTACCTCCATATGAAACCT
 TTGAAGATTTACGAGAGAACTTCTCATGGCCGTGGAAAATGCTCAAGGATTTGAAGGGTGGAT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_015277.3
RefSeq Size:	4871 bp
RefSeq ORF:	2868 bp
Locus ID:	23327
UniProt ID:	Q96PU5
Cytogenetics:	18q21.31
Domains:	C2, HECT, WW
Protein Families:	Druggable Genome
Protein Pathways:	Endocytosis, Ubiquitin mediated proteolysis
MW:	109.8 kDa
Gene Summary:	This gene encodes a member of the Nedd4 family of HECT domain E3 ubiquitin ligases. HECT domain E3 ubiquitin ligases transfer ubiquitin from E2 ubiquitin-conjugating enzymes to protein substrates, thus targeting specific proteins for lysosomal degradation. The encoded protein mediates the ubiquitination of multiple target substrates and plays a critical role in epithelial sodium transport by regulating the cell surface expression of the epithelial sodium channel, ENaC. Single nucleotide polymorphisms in this gene may be associated with essential hypertension. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]

Product images:



Circular map for RC217897