

Product datasheet for RC217903L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Phospholipase C beta 4 (PLCB4) (NM_182797) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Phospholipase C beta 4 (PLCB4) (NM 182797) Human Tagged ORF Clone Lentiviral Particle

Symbol: Phospholipase C beta 4

Synonyms: ARCND2; PI-PLC

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 182797

ORF Size: 3525 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC217903).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 182797.1

RefSeq Size: 5509 bp
RefSeq ORF: 3528 bp
Locus ID: 5332

UniProt ID: Q15147

Cytogenetics: 20p12.3-p12.2

Protein Families: Druggable Genome





Phospholipase C beta 4 (PLCB4) (NM_182797) Human Tagged ORF Clone Lentiviral Particle – RC217903L3V

Protein Pathways: Alzheimer's disease, Calcium signaling pathway, Chemokine signaling pathway, Gap junction,

GnRH signaling pathway, Huntington's disease, Inositol phosphate metabolism, Long-term

depression, Long-term potentiation, Melanogenesis, Metabolic pathways,

Phosphatidylinositol signaling system, Vascular smooth muscle contraction, Wnt signaling

pathway

MW: 134.3 kDa

Gene Summary: The protein encoded by this gene catalyzes the formation of inositol 1,4,5-trisphosphate and

diacylglycerol from phosphatidylinositol 4,5-bisphosphate. This reaction uses calcium as a cofactor and plays an important role in the intracellular transduction of many extracellular signals in the retina. Multiple transcript variants encoding different isoforms have been found

for this gene. [provided by RefSeq, Feb 2010]