

## Product datasheet for RC217941

### CD200 (NM\_001004196) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	CD200 (NM_001004196) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CD200
Synonyms:	MOX1; MOX2; MRC; OX-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC217941 representing NM_001004196 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGAGGCTGACTCTGACCAGGACAATTGGGGCCCTCTCCTTACAGCTACACTCCTAGGAAAGACCA  
CCATCAATGATTACCAGGTGATCAGGATGCCCTTCTGTCATCTGTCTACCTACAGCCTGGTTTGGGTCAT  
GGCAGCAGTGGTGTGTGCACAGCACAAGTCAAGTGGTGACCCAGGATGAAAGAGAGCAGCTGTACACA  
CCTGCTTCCTTAAATGCTCTCTGCAAAATGCCAGGAAGCCCTCATTGTGACATGGCAGAAAAAGAAAG  
CTGTAAGCCAGAAAACATGGTCACTTACGCGAGAACCATGGGGTGGTATCCAGCCTGCCTATAAGGA  
CAAGATAAACATTACCCAGCTGGGACTCCAAAACCAACCATCACCTTCTGGAATATCACCTGGAGGAT  
GAAGGGTGTACATGTGTCTTCAATACCTTTGGTTTTGGGAAGATCTCAGGAACGGCCTGCCTACCCG  
TCTATGTACAGCCATAGTATCCCTTCACTACAAATTCTCTGAAGACCACCTAAATATCACTTGCTCTGC  
CACTGCCCCGACGCCCCATGGTCTTCTGGAAGTCCCTCGGTCAGGGATTGAAAATAGTACAGTGACT  
CTGTCTCACCAAATGGGACCAGTCTGTTACCAGCATCCTCCATATCAAAGACCCTAAGAAATCAGGTGG  
GGAAGGAGGTGATCTGCCAGGTGCTGCACCTGGGACTGTGACCGACTTAAGCAAACCGTCAACAAAGG  
CTATTGGTTTTAGTTCCGCTATTGCTAAGCATGTTCCCTGGTAATTTCTCTCGTCTCAATCTCAATC  
TACTGTACTGGAAACGTCACCGAATCAGGACCGAGAGCCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTAA



[View online »](#)

**Protein Sequence:** >RC217941 representing NM\_001004196  
Red=Cloning site Green=Tags(s)

MERLTLTRTIGGPLLTATLLGKTTINDYQVIRMPFCHLSTYSLVWVMAAVVLCTAQVQVVTQDEREQLYT  
 PASLKCSLQNAQEALIVTWQKKKAVSPENMVTFSENHGVIQPAYKDKINITQLGLQNSTITFWNITLED  
 EGCYMLFNTFFGFKISGTACLTVYVQPIVSLHYKFSEDHLNITCSATARPAPMVFWKVPVRSIENSTVT  
 LSHPNGTTSVTSILHIKDPKNQVGKEVICQVLHLGTVTDFKQTVNKGWFSVPLLLSIVSLVILLVLISI  
 LLYWKRHRNQDREP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8050\\_b06.zip](https://cdn.origene.com/chromatograms/mk8050_b06.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001004196

**ORF Size:** 882 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001004196.1](#), [NP\\_001004196.1](#)

**RefSeq Size:** 2247 bp

**RefSeq ORF:** 885 bp

**Locus ID:** 4345

**UniProt ID:** [P41217](#)


**Cytogenetics:** 3q13.2

**Protein Families:** Transmembrane


**MW:** 32.8 kDa

**Gene Summary:** This gene encodes a type I membrane glycoprotein containing two extracellular immunoglobulin domains, a transmembrane and a cytoplasmic domain. This gene is expressed by various cell types, including B cells, a subset of T cells, thymocytes, endothelial cells, and neurons. The encoded protein plays an important role in immunosuppression and regulation of anti-tumor activity. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jan 2016]


**Product images:**



Circular map for RC217941



Western blot validation of overexpression lysate (Cat# [LY424074]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217941 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified CD200 protein (Cat# [TP317941]). The protein was produced from HEK293T cells transfected with CD200 cDNA clone (Cat# RC217941) using MegaTran 2.0 (Cat# [TT210002]).