

## **Product datasheet for RC217966L3**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

### SLC39A14 (NM\_015359) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** SLC39A14 (NM\_015359) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: SLC39A14

Synonyms: cig19; HCIN; HMNDYT2; LZT-Hs4; NET34; ZIP14

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC217966).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_015359

ORF Size: 1476 bp





### SLC39A14 (NM\_015359) Human Tagged Lenti ORF Clone - RC217966L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 015359.4</u>

 RefSeq Size:
 4627 bp

 RefSeq ORF:
 1479 bp

 Locus ID:
 23516

 UniProt ID:
 Q15043

 Cytogenetics:
 8p21.3

**Protein Families:** Transmembrane

**MW:** 53.9 kDa

**Gene Summary:** This gene encodes a member of the the SLC39A family of divalent metal transporters that

mediates the cellular uptake of manganese, zinc, iron, and cadmium. The encoded protein contains eight transmembrane domains, a histidine-rich motif, and a metalloprotease motif, and is expressed on the plasma membrane and the endocytic vesicle membrane. It is an important transporter of nontransferrin-bound iron and a critical regulator of manganese


homeostasis. Naturally occurring mutations in this gene are associated with

neurodegeneration with brain iron accumulation and early-onset parkinsonism-dystonia with

hypermanganesemia. [provided by RefSeq, May 2017]



# **Product images:**



Circular map for RC217966L3