

Product datasheet for RC218032L2

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

TXNDC5 (NM_030810) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TXNDC5 (NM_030810) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: TXNDC5

Synonyms: ENDOPDI; ERP46; HCC-2; HCC2; PDIA15; STRF8; UNQ364

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC218032).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_030810

ORF Size: 1296 bp





TXNDC5 (NM_030810) Human Tagged Lenti ORF Clone - RC218032L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030810.2</u>

RefSeq Size: 2970 bp
RefSeq ORF: 1299 bp
Locus ID: 81567
UniProt ID: Q8NBS9
Cytogenetics: 6p24.3

Domains: thiored

Protein Families: Druggable Genome

MW: 44.4 kDa

Gene Summary: This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic

reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal endoplasmic reticulum (ER)-signal sequence, three


catalytically active thioredoxin domains and a C-terminal ER-retention sequence. Its

expression is induced by hypoxia and its role may be to protect hypoxic cells from apoptosis. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the neighboring upstream BLOC1S5 gene. [provided by RefSeq,

Dec 2016]



Product images:



Circular map for RC218032L2