

Product datasheet for RC218195L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

ZNF215 (NM_013250) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ZNF215 (NM_013250) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: ZNF215

Synonyms: BAZ-2; BAZ2; ZKSCAN11; ZSCAN43

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC218195).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_013250

ORF Size: 1551 bp





ZNF215 (NM_013250) Human Tagged Lenti ORF Clone - RC218195L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 013250.1</u>

 RefSeq Size:
 3480 bp

 RefSeq ORF:
 1554 bp

 Locus ID:
 7762

UniProt ID: Q9UL58
Cytogenetics: 11p15.4

Protein Families: Transcription Factors

MW: 59.9 kDa

Gene Summary: This gene is imprinted in a tissue-specific manner with preferential expression in the testis,

and encodes a zinc finger protein that belongs to a family of zinc finger transcription factors. The encoded protein contains an N-terminal SRE-ZBP, Ctfin51, AW-1, and Number 18 (SCAN)


domain, a kruppel-associated box A (KRABA) domain, and four C-terminal zinc finger

domains. This gene is located within one of three regions on chromosome 11p15 associated with Beckwith-Wiedemann syndrome, called Beckwith-Wiedemann syndrome chromosome region-2 (BWSCR2), and is thought to play a role in the etiology of this disease. [provided by

RefSeq, Aug 2017]



Product images:



Circular map for RC218195L4