

Product datasheet for RC218354

PIK3C2B (NM_002646) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PIK3C2B (NM_002646) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PIK3C2B
Synonyms:	C2-PI3K
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC218354 representing NM_002646 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTTCGACTCAGGACAATGGGAACACTGGAAGTCCCTGGAGTCAGTGGGCATCAGCCGAAAGAGC
TAGCGATGGCCGAAGCCCTGCAGATGGAGTATGATGCCCTGTCCCGCTCCGGCATGACAAGGAGGAGAA
CAGAGCCAAGCAGAACGCAGACCCCTCTCTCATCAGCTGGGATGAGCCTGGGGTAGACTTTTACAGCAAG
CCAGCAGGAAGGGCGACCGACCTCAAGCTGTTACGCGGTCTCTCTGGCTCTGATCCTACCCTAACTACA
ACTCACTCTCCACAGGAAGGGCCGCCAACCCTCTACCTCCAAGGGCCACAGCCTGGCTCAGATCC
CTGGCCCAAAGGCTCCCTGTCTGGAGACTATCTTACATTTTTGATGGTTTCAGATGGGGGAGTCTCTTCG
TCCCCAGGACCAGGGGACATAGAGGGCTCTTGCAAGAACTATCCCCACCTCCTCTGCCTCCCCGAGCTT
CTATCTGGGATACCCCTCCCTGCCTCCAGAAAGGGTCCCCCTCATCTCCAAGATCTCCAGCCAG
TGACATCAACACTTTCTTTGGTGAACAATTGCCGGGCAAAGTCTAGAGCATCGGATCCTAGAAGAG
GAAGAGGTGCTGGGAGGTGGGGTCAAGGGCGCCTACTGGGGTCTGTGGACTATGATGGTATCAATGATG
CAATTACTAGGCTCAACTTGAATCGACCTATGATGCGGAGATGTTGCGGGATGCCACCAGGGGCTGGAA
GGAGGGCCGAGGGCCGCTGGACTTCAGCAAAGACACCTCTGAAAAACCCGTGGCCAGGAGCAAGACTATG
CCCCCTCAGGTGCCCCCGCACCTATGCCTCCCGCTATGGCAACCAGAAAGAAATGCGACGCTGACAAGA
ACCGCCGATTTCTGCAGCCCGGTGGGCTCCCGGCCACACTGTTGCCAATGGCCATGAGTTGTTTGA
GGTCTCAGAAGAGAGAGATGAGGAGGTTGCTGCATTTTGCCACATGCTGGATATCCTTCGATCTGGCTCT
GACATCCAAGACTACTTCTCACTGGCTATGTCTGGAGTCTGTACCCCTAGCCAGAGCACCTCGGGG
ATGAGGTCAACCTGAAGGTGACTGTGTTGTGTGACAGGCTTCAAGAGGCACTCACTTTCACCTGCAACTG
TTCCTCCACTGTAGACTTGCTTATCTACCAGACCTGTGCTACCCCATGATGACCTGAGGAATGTGGAC
GTGGGTGACTTTGTGCTAAAGCCCTGCGGGCTGGAGGAGTTCTGCAGAACAAAGCATGCCTTGGGCAGTC
ATGAGTACATCCAATACTGCCGCAAGTTTGACATTGACATTGCGGTACAGCTGATGGAGCAGAAGGTTGT
GCGCAGTGACCTGCCCCGACGGTGAATGATGACCAGAGCCCTCCACCTTGAACACTCTGTCATCTC



[View online >](#)

CAAGAGAGGCCTGTCAAGCAGACCATCAGCAGGCAGGCCCTGAGTCTTCTGTTTCGACACTTACCACAATG
 AGGTGGATGCCTTCTGCTGGCTGATGGAGACTTCCCCTGAAGGCTGACAGGGTGGTCCAGTCCGTC
 GGCCATCTGCAACGCCCTGGCCGCGTGGAAACCCTGAGATCACCAGTGTCTCAACCAGCTGCCCCC
 TGCCCCCTCCCGCATGCAGCTAAATTCAGAAGGATCCCAGTGTCTTGGCTGTGAGGGAAAACCGAGAGA
 AGGTCTGGAAGCCCTGACCGCTGCCATCTTGGACCTGGTGGAGCTGTACTGCAACACATTCAACGCAGA
 CTTCCAGACGGCAGTCCCGGGAGCCGAAGCATGACCTGGTCCAGGAGGCTGCCATTTCCGACGGTCC
 CTGGCCTTTACTGTCTATGCCACCCACCCATCCCCATCATCTGGGCTACCAGCTATGAAGATTTCTACC
 TCTCCTGCTCCCTCAGCCATGGCGGCAAGGAGCTGTGCAGCCCCCTGCAGACCCGAAGAGCTCACTTCTC
 CAAGTACCTCTTCCACCTCATCGTCTGGGACCAGCAGATCTGCTTCCAGTGCAGGTGAACCGGCTGCCT
 CGGGAGACACTGCTGTGTGCCACTCTCTATGCTCTGCCATCCCCCACCAGGGGAGCTCCTCAGAGGCCA
 ATAAGCAGCGGGGTCCTGAAGCCCTGGGCTGGTCACTACCCACTCTTCAACTTACGGCAGGTCTT
 GACCTGTGGCCGAAGCTTCTGGGTTTGTGGCCAGCAACACAGGAAAATCCAGCGCCCCGTTGGAGTGA
 CCTAATTTCCACCAGCCAGACAGTGTATCCTGCAGATTGACTTCCCACCTCGGCTTTGACATCAAGT
 TCACCAGCCCCCTGGAGACAAGTTCAGCCCCGCTATGAGTTTGGCAGCCTCCGGGAAGAAGACCAGCG
 CAAGCTTAAAGACATCATGCAGAAAGAGTCTTGTACTGGCTCACTGATGCTGACAAGAAGCGCCTGTGG
 GAGAAGCGATATTACTGCCACTCGGAGGTGAGCTCGCTCCCCCTGGTGTGCGCCAGCGCCCCAGCTGGG
 AGTGGGCTTGCTGCCTGACATCTATGTTCTCCTGAAGCAGTGGACCCACATGAACCACCAGGATGCCCT
 GGGGCTCCTGCATGCCACCTTCCCGACCAGGAGGTGCGTCGATGGCTGTGCAGTGGATTGGCTCACTC
 TCAGATGCTGAGCTGCTAGACTACCTGCCCCAGCTGGTACAGGCCCTGAAGTATGAATGCTACCTGGACA
 GCCCGTTGGTGCCTTCTCCTGAAACGAGCTGTGTCTGACTTGAGAGTACTACTACTTCTTCTGGTT
 ACTGAAGACGGCCTCAAGGACTCTCAGTTCAGCATCCGCTACCAGTATCTGCTGGCAGCCTTACTGTGC
 TGCTGTGGCAAGGGGCTGAGAGAAGAGTTAACCGCCAGTGTGGCTTGTCAATGCCCTGGCCAAACTGG
 CCCAGCAGGTCCGGGAGGCAGCCCATCTGCAAGGCAGGAATCCTCCGACGGGCTGGGAAAGTGAAG
 GCAGTTCTTGGCCTCAATGGCTCGTGGCTTGGCACTCAGCCCCAGTCTGCTGGTTAAGGGAATTGTG
 CCCAGGGACTGTTCTACTTCAACTCCAATGCTGTCCCCCTCAAACCTCTCCTTCCAAAATGTGGATCCCC
 TGGGTGAGAACATCCGTGTCTTCAAGTGTGGGACGACCTTCGCCAGGACATGCTAACGCTGCAGAT
 GATTTCGCATCATGAGCAAGATCTGGGTCCAGGAGGGGCTGGACATGCGCATGGTTCATCTTCCGCTGCTTC
 TCCACCGCCGGGGCAGAGGGATGGTGGAGATGATCCCTAATGCTGAGACCCTGCGTAAGATCCAGGTGG
 AGCATGGGGTACCGGCTCGTTCAAGGACCGGCCCTGGCAGACTGGCTGCAGAAACACAACCTGGGGA
 GGACGAGTATGAGAAGGCTGTGGAGAACTTATCTACTCTGCGTGGCTGCTGCGTGGCCACGTACGTC
 TTGGGCATCTGTGACCGACATAACGACAACATCATGCTGAAGACCACTGGTCACATGTTCCACATTGATT
 TTGGCCGCTTCTGGGCCATGCCAGATGTTTGGCAACATCAAGCGGGACCGTGCCTTGTCTTCCAC
 CTCGGACATGGCGTATGTCATCAACGGGGTGACAAGCCTTCCAGCCGCTTCCATGATTTTGTGACCTT
 TGCTGCCAAGCCTACAACCTCATTGCAAGCACACCCACCTTCTCCTCAACCTTCTGGGCTGATGTTGT
 CCTGTGGGATCCCTGAACCTCAGACCTGGAGGACCTCAAGTATGTGTACGATGCCCTGAGGCTCAGGA
 TACAGAGGCCAATGCCACTACCTACTTCACTAGGTTGATTGAGTCCAGCCTGGGCAGTGTAGCCACAAG
 CTCAATTTTTTCCATAAATCTGGCTCAGATGAAGTTCACGGGCTCAGATGACCGGCTGACCTCTCCT
 TGGCTCCCGAACACACTCTCAAGAGCTCTGGCCGAATCAGTGTGTTTTCTCTGCCCATGAGAA
 GATCTTCCACCCCAACAAGGCTATATATGTGGTAAAGGTGATGCGAGAGAACAACCTCAGGAGCCACC
 TACATCCAGCGGACCTTTGAGGAGTTCAGGAATTACACAATAAGTTGCGGCTGCTTCCCTTCTTCCC
 ACTTGGCCAGCTTCCCTAGTCGTTCTGATCGGCCGCTCCCGGGAGAGGCGGTGGCCGAGCGGGAG
 GGAGGAGCTAAACGTTACATCTGGCACTTGTCCACGCACCCCTGAGGTGGCCGAGTGTGATTTGGTG
 TACACCTTCTTCCACCCACTGCCCGGGATGAGAAGGCTATGGGCACCAGCCAGCTCCTAAGTCTCAG
 ATGGCACATGGGCCCGCCGTCGGAAGGTGGGAGGGGAGGTGAAGCTGTCCATCTCTACAAAAACAA
 TAAACTTTCATCATGGTGTGATGATATTCGGGCTTGAACCTGCTCCAGGATGGAATGACCCTGACCCC
 TATGTGAAAATTTACCTCTTCTGACCCTCAGAAAACCACTAAGAGGAAAACAAAGTGGCCCGGAAAA
 CCTGCAATCTACCTACAATGAGATGTTGGTATATGATGGGATCCCCAAGGTTGACTGCAGCAGCGGGA
 GCTCCAGCTGAGCGTGTGAGTGAAGCAGGATTCTGGGAGAAGCTCCTCCTCGGTGAGGTGAACATCCGC
 CTGCGAGAGCTGGACCTGGCTCAGGAGAAGACCGGCTGTTTCGCCCTGGGATCTCGAAGTATGGCACCT
 TG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC218354 representing NM_002646
 Red=Cloning site Green=Tags(s)

MSSTQDNGEHWSLESVGI SRKELAMAEALQMEYDAL SRLRHDKEENRAKQADPSLISWDEPGVDFYSK
 PAGRRITDLKLLRGLSGSDPTLNYNLSLSPQEGPNHSTSQGPQPGSDPWPKGSLSGDYLYIFDGDGGVSS
 SPGPGDIEGSCCKLSPPLPPRASIWDTPLPPRKGSPSSSKISQPSDINTFSLVEQLPGKLLHEHRILEE
 EEVLGGGGQGRLLGSVDYDGINDAITRLNLKSTYDAEMLRDATRGWKEGRPLDFSKDTSKGKPVARSKT
 PPQVPPRTYASRYGNRNATPDKNRRISAAPVGSRPHTVANGHELFEVSEERDEEVAAFCHMLDILRSGS
 DIQDYFLTGYVWSAVTPSPEHLGDEVNLKVTVLCDRLQEQALFTTCNCSSTVDLLIYQTLCYTHDDLNRVD
 VGDFVLKPCGLEEFLQNKHALGSHEYIQYCRKFDIDIRLQLMEQKVVRSDLARTVNDQSPSTLNYL VHL
 QERPVKQTI SRQALSLLFDTYHNEVDAFLADGDFPLKADRQVQSVKAI CNALAAVETPEITSALNQLPP
 CPSRMQPKIQKDPVLA VRENREKVV EAL TAAILD LVELYCNTFNADFQTAVPGSRKHDLVQEACHFARS
 LAFTVYATHRIPIIWATSYEDFYLSCSLSHGKELCSPLQTRRAHF SKYLFHLIVWDQQICFPVQVNRLP
 RETLLCATLYALPIPPPGSSSEANKQRRVPEALGWVTTPLFNFRQVLTCCRKLLGLWPATQENPSARWSA
 PNHFQPDVILQIDFPTSAFDIKFTSPPGDKFSRPRYEFGLSREEDQRKLDIMQKESLYWLTADKKRLW
 EKRYCHSEVSSPLVLASAPSEWACLPIYVLLKQWTHMNHQDALGLLHATFPDQEVRRMAVQWIGSL
 SDAELLDYLPQLVQALKYECYLDSPVRFLLKRAVSDLRVTHYFFWLLKDGKDSQFSIRYQYLLAALLC
 CCGKGLREEFNRCWL VNALAKLAQQVREAA PSARQGI LRTGLEEVKQFFALNGSCLPLSPSLLVKGIV
 PRDCSYFNSNAVPLKLSFQNVDP LGENIRVIFKCGDDL RQDML TLQMIRIMSKIWVQEGLDMRMVFRCF
 STGRGRGMVEMIPNAETLRKIQVEHGVTSFKDRPLADWLQKHNPGEDEYEKAVENFIYSCAGCCVATYV
 LGICDRHNDNIMLKT TGHMFI DFGRFLGHAQMFGNIKRDRAPVFTSDMAYVINGGDKPSSRFHDFVLD
 CCQAYNLRKHTHLFLNLLGLMLSCGIPELSDLEDLKYVYDALRPQDTEANATTYFTRLIESSLSGVATK
 LNFFIHNLAQMKFTGSDRLLTFSASRTHLTKSSGRISDVFLCRHEKIFHPNKGYYVVKVMRENTHEAT
 YIQRTFEFQELHNKLRLLFPSSHLPSFSPRFVIGRSRGEAVERREELNGYIWHLIHAPPEVAECDLV
 YTFHPLPRDEKAMGTSPAPKSSDGTWARPVGKVGGEVKLSISYKNNKLFIMVMHIRGLQLLQDGNPDP
 YVKIYLLPDPQKTTKRKTKVARKTCNPTYNEMLVYDGIPKGDLLQRELQLSVLSEQGFWENVLLGEVNIR
 LRELDLAQEKTGWFALGSRSHGTL

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Chromatograms:

https://cdn.origene.com/chromatograms/mk6285_e07.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN:	NM_002646
ORF Size:	4902 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_002646.4
RefSeq Size:	7618 bp
RefSeq ORF:	4905 bp
Locus ID:	5287
UniProt ID:	O00750
Cytogenetics:	1q32.1
Protein Families:	Druggable Genome
Protein Pathways:	Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system
MW:	184.6 kDa


Gene Summary:

The protein encoded by this gene belongs to the phosphoinositide 3-kinase (PI3K) family. PI3-kinases play roles in signaling pathways involved in cell proliferation, oncogenic transformation, cell survival, cell migration, and intracellular protein trafficking. This protein contains a lipid kinase catalytic domain as well as a C-terminal C2 domain, a characteristic of class II PI3-kinases. C2 domains act as calcium-dependent phospholipid binding motifs that mediate translocation of proteins to membranes, and may also mediate protein-protein interactions. The PI3-kinase activity of this protein is sensitive to low nanomolar levels of the inhibitor wortmanin. The C2 domain of this protein was shown to bind phospholipids but not Ca²⁺, which suggests that this enzyme may function in a calcium-independent manner. [provided by RefSeq, Jul 2008]


Product images:




Circular map for RC218354



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY PIK3C2B (Cat# RC218354, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PIK3C2B (Cat# [TA506052]). Positive lysates [LY419185] (100ug) and [LC419185] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY419185]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC218354 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PIK3C2B protein (Cat# [TP318354]). The protein was produced from HEK293T cells transfected with PIK3C2B cDNA clone (Cat# RC218354) using MegaTran 2.0 (Cat# [TT210002]).