

## Product datasheet for RC218403L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## KiSS1 receptor (KISS1R) (NM 032551) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: KiSS1 receptor (KISS1R) (NM 032551) Human Tagged ORF Clone Lentiviral Particle

Symbol: KISS1R

Synonyms: AXOR12; CPPB1; GPR54; HH8; HOT7T175; KISS-1R

**Mammalian Cell** 

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_032551 **ORF Size:** 1194 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC218403).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 032551.3

 RefSeq Size:
 1607 bp

 RefSeq ORF:
 1197 bp

 Locus ID:
 84634

 UniProt ID:
 Q969F8

 Cytogenetics:
 19p13.3

**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Neuroactive ligand-receptor interaction





MW: 42.4 kDa

**Gene Summary:** 

The protein encoded by this gene is a galanin-like G protein-coupled receptor that binds metastin, a peptide encoded by the metastasis suppressor gene KISS1. The tissue distribution of the expressed gene suggests that it is involved in the regulation of endocrine function, and this is supported by the finding that this gene appears to play a role in the onset of puberty. Mutations in this gene have been associated with hypogonadotropic hypogonadism and central precocious puberty. [provided by RefSeq, Jul 2008]