

Product datasheet for **RC218483**

Rad6 (UBE2A) (NM_181762) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Rad6 (UBE2A) (NM_181762) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: UBE2A
Synonyms: HHR6A; MRXS30; MRXSN; RAD6A; UBC2
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC218483 representing NM_181762
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGTCCACCCGGCTCGGCGGCCTCATGCGGGACTTCAAGAGGTTGCAGGAGGATCCTCCAGCCGGAG
TCAGCGGGCTCCGTCCGAGAACAACATAATGGTGTGGAACGCGGTCATTTTCGGGCCTGAAGGGACCCC
GTTTGAGGATGTCTATGCAGATGGTAGTATATGTCTGGACATACTCAGAACCGTTGGAGTCCAACCTAT
GATGTGTCTTCCATTCTAACATCCATACAGTCTCTGTTGGATGAACCCAATCCCAATAGTCCAGCAAACA
GCCAGGCTGCTCAGCTGTACCAGGAGAACAACGGGAATATGAAAAGCGTGTCTGCAATAGTAGAACA
AAGCTGGCGTGATTGT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC218483 representing NM_181762
Red=Cloning site Green=Tags(s)
MSTPARRRLMRDFKRLQEDPPAGVSGAPSENNIMVWNAVIFGPEGTPFEDVYADGSICLDILQNRWSPTY
DVSSILTSIQSLLDEPNPNSPANQAQLYQENKREYKRVSAIVEQSWRDC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN:

NM_181762

ORF Size:

366 bp

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_181762.3
RefSeq Size:	1709 bp
RefSeq ORF:	369 bp
Locus ID:	7319
UniProt ID:	P49459
Cytogenetics:	Xq24
Protein Families:	Druggable Genome
Protein Pathways:	Ubiquitin mediated proteolysis
MW:	13.6 kDa
Gene Summary:	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, ubiquitin-conjugating enzymes, and ubiquitin-protein ligases. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is required for post-replicative DNA damage repair, and may play a role in transcriptional regulation. Mutations in this gene are associated with cognitive disability. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013]