

Product datasheet for **RC218494**

CXCL16 (NM_001100812) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CXCL16 (NM_001100812) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CXCL16
Synonyms:	CXCLG16; SR-PSOX; SRPSOX
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC218494 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTGGGAGTCAGAGCGAGGTGGCTCCATCCCCGCAGAGTCCGCGGAGCCCCGAGATGGGACGGGACT
TGCGGCCCGGTCCCGCTGCTCCTGCTCCTGCTTCTGCTCCTGCTGGTGTACCTGACTCAGCCAGGCAA
TGGCAACGAGGGCAGCGTCACTGGAAGTTGTTATTGTGGTAAAAGAATTTCTTCCGACTCCCCGCCATCG
GTTCAAGTTCATGAATCGTCTCCGAAACACCTGAGAGCTTACCATCGGTGTCTATACTACACGAGGTTCC
AGCTCCTTTCCTGGAGCGTGTGTGGAGGCAACAAGGACCCATGGGTTCAAGGAATTGATGAGCTGTCTTGA
TCTCAAAGAATGTGGACATGCTTACTCGGGATTGTGGCCACCAGAAGCATTACTTCTACCAGCCCC
CCAATTTCTCAGGCCTCAGAGGGGGCATCTTCAGATATCCACACCCTGCCAGATGCTCCTGTCCACCT
TGCAGTCCACTCAGCGCCCCACCCTCCCAGTAGGATCACTGTCCTCGGACAAAGAGCTCACTCGTCCCAA
TGAAACCACCAATTCACACTGCGGGCCACAGTCTGGCAGCTGGGCCTGAGGCTGGGGAGAACCAGAAGCAG
CCGAAAAAATGCTGGTCCCACAGCCAGGACATCAGCCACAGTGCCGGTCTGTGCCTCCTGGCCATCA
TCTTATCCTCACCGCAGCCCTTCTATGTGCTGTGCAAGAGGAGGGGGCAGTCACCGCAGTCCCTC
TCCAGATCTGCCGGTTCATTATATACCTGTGGCACCTGACTCTAATACC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC218494 protein sequence
Red=Cloning site Green=Tags(s)

MSGSQSEVAPSPQSPRSPENGRDLRPGSRVLLLLLLLLL VYLTQPGNGNEGSVTGSCYCGKRISSDSPPS
 VQFMNRLRKHLRAYHRCLYYTRFQLLSWSVCGGNKDPWVQELMSCLDLKECGHAYSGIVAHQKHLPTSP
 PISQASEGASSDIHTPAQMLLSTLQSTQRPTLPVGLSSDKELTRPNETTIHTAGHSLAAGPEAGENQKQ
 PEKNAGPTARTSATVPVLCLLAIIIFILTAALSYVLCRRRRGQSPQSSPDLPVHYIPVAPDSNT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6089_h08.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001100812

ORF Size: 819 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001100812.1</u> , <u>NP_001094282.1</u>
RefSeq Size:	1466 bp
RefSeq ORF:	765 bp
Locus ID:	58191
UniProt ID:	<u>Q9H2A7</u>
Cytogenetics:	17p13.2
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane
Protein Pathways:	Chemokine signaling pathway, Cytokine-cytokine receptor interaction
MW:	29.5 kDa
Gene Summary:	Acts as a scavenger receptor on macrophages, which specifically binds to OxLDL (oxidized low density lipoprotein), suggesting that it may be involved in pathophysiology such as atherogenesis (By similarity). Induces a strong chemotactic response. Induces calcium mobilization. Binds to CXCR6/Bonzo.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC218494



Western blot validation of overexpression lysate (Cat# [LY420290]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC218494 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).