

Product datasheet for **RC218505**

BRCA1 (NM_007299) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BRCA1 (NM_007299) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BRCA1
Synonyms:	BRCA1; BRCC1; BROVCA1; FANCS; IRIS; PNCA4; PPP1R53; PSCP; RNF53
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


ORF Nucleotide
Sequence:

>RC218505 representing NM_007299
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGGATTTATCTGCTCTTCGCGTTGAAGAAGTACAAAATGTCATTAATGCTATGCAGAAAATCTTAGAGT
GTCCCATCTGCTGGAGTTGATCAAGGAACCTGTCTCCACAAAGTGACCACATATTTTGCAAATTTTG
CATGCTGAAACTTCTCAACCAGAAGAAAGGCGCTTACACAGTGTCTTTATGTAAGAAATGATATAACCAAA
AGGAGCCTACAAGAAAGTACGAGATTTAGTCAACTTGTGAAGAGCTATTGAAAAATCATTGTGCTTTTC
AGCTTGACACAGGTTTGGAGTATGCAAACAGCTATAATTTTGCAAAAAGGAAAAAAGTCTCCTGAACA
TCTAAAAGATGAAGTTTCTATCATCCAAAGTATGGGCTACAGAAACCGTCCAAAAGACTTCTACAGAGT
GAACCCGAAAATCCTTCCTTGCAGGAAACAGTCTCAGTGTCCAACCTCTAACCTTGGAACTGTGAGAA
CTCTGAGGACAAAGCAGCGGATACAACCTCAAAGACGCTGTCTACATTGAATTGGGATCTGATTCTTC
TGAAGATACCGTTAATAAGGCAACTTATTGCAGTGTGGGAGATCAAGAATTGTTACAAATCACCCCTCAA
GGAACCAGGGATGAAATCAGTTTGGATTCTGCAAAAAGGCTGCTTGTGAATTTCTGAGACGGATGTAA
CAAATACTGAACATCATCAACCCAGTAATAATGATTTGAACACCACTGAGAAGCGTGCAGCTGAGAGGCA
TCCAGAAAAGTATCAGGGTGAAGCAGCATCTGGGTGTGAGAGTGAACAAGCGTCTCTGAAGACTGCTCA
GGGCTATCCTCTCAGAGTACATTTTAACTACTCAGCAGAGGGATACCATGCAACATAACCTGATAAAGC
TCCAGCAGGAAATGGCTGAAGTGAAGTGTGTTAGAACAGCATGGGAGCCAGCCTTCTAACAGCTACCC
TTCCATCATAAGTGACTCTTCTGCCCTTGGAGCTGCGAAATCCAGAACAAAGCACATCAGAAAAAGTA
TTAACTTCACAGAAAAGTGTGAATACCCTATAAGCCAGAATCCAGAAGGCCCTTCTGCTGACAAGTTTG
AGGTGCTGCAGATAGTTCTACCAGTAAAAATAAAGAACCAGGAGTGGAAAGGTCATCCCCTTCTAAATG
CCCATCATTAGATGATAGGTGGTACATGCACAGTTGCTCTGGGAGTCTCAGAATAGAAACTACCCATCT
CAAGAGGAGCTCATTAAAGTTGTTGATGTGGAGGAGCAACAGCTGGAAGAGTCTGGGCCACACGATTTGA
CGGAAACATCTTACTTGCCAAGGCAAGATCTAGAGGGAACCCCTTACCTGGAATCTGGAATCAGCCTCTT
CTCTGATGACCCTGAATCTGATCCTTCTGAAGACAGAGCCCAGAGTCACTCGTGTGGCAACATACCA
TCTTCAACCTCTGCATTGAAAGTCCCAATTGAAAGTTGCAGAAATCTGCCCAGAGTCCAGCTGCTGCTC
ATACTACTGATACTGCTGGGTATAATGCAATGGAAGAAAGTGTGAGCAGGGAGAAGCCAGAATTGACAGC
TTCAACAGAAAGGTCAACAAAAGAATGCCATGGTGGTGTCTGGCCTGACCCAGAGAATTTATGCTC
GTGTACAAGTTTGCCAGAAAACACCACATCACTTAACTAATCTAATTACTGAAGAGACTACTCATGTTG
TTATGAAAACAGATGCTGAGTTTGTGTGTAACGACACTGAAATATTTCTAGGAATTGCGGGAGGAAA
ATGGGTAGTTAGCTATTTCTGGGTGACCCAGTCTATTAAGAAAGAAAAATGCTGAATGAGCATGATTTT
GAAGTCAGAGGAGATGTGGTCAATGGAAGAAACCACCAAGGTCCAAAGCGAGCAAGAGAATCCCAGGACA
GAAAGATCTTCAGGGGGCTAGAAATCTGTTGCTATGGGCCCTTACCAACATGCCACAGGGTGTCCACC
CAATTGTGGTTGTGCAGCCAGATGCCTGGACAGAGGACAATGGCTTCCATGCAATTGGGCAGATGTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Plasmid Map:


ACCN: NM_007299

ORF Size: 2097 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_007299.4](#)

RefSeq Size: 3800 bp

RefSeq ORF: 2100 bp

Locus ID:	672
UniProt ID:	P38398
Cytogenetics:	17q21.31
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Ubiquitin mediated proteolysis
MW:	78.2 kDa
Gene Summary:	<p>This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length natures of only some of these variants has been described. A related pseudogene, which is also located on chromosome 17, has been identified. [provided by RefSeq, May 2020]</p>