

### Product datasheet for RC218572L1

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AMPK alpha 1 (PRKAA1) (NM\_006251) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: AMPK alpha 1 (PRKAA1) (NM 006251) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: AMPK alpha 1

Synonyms: AMPK; AMPKa1; AMPK alpha 1

None

Mammalian Cell

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC218572).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

ACCN: NM\_006251

ORF Size: 1677 bp



#### AMPK alpha 1 (PRKAA1) (NM\_006251) Human Tagged Lenti ORF Clone - RC218572L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006251.5</u>, <u>NP 006242.5</u>

 RefSeq Size:
 5085 bp

 RefSeq ORF:
 1680 bp

 Locus ID:
 5562

 UniProt ID:
 Q13131

Cytogenetics:

**Domains:** pkinase, TyrKc, S TKc

**Protein Families:** Druggable Genome, Protein Kinase

5p13.1

**Protein Pathways:** Adipocytokine signaling pathway, Hypertrophic cardiomyopathy (HCM), Insulin signaling

pathway, mTOR signaling pathway, Regulation of autophagy

**MW:** 63.8 kDa


**Gene Summary:** The protein encoded by this gene belongs to the ser/thr protein kinase family. It is the

catalytic subunit of the 5'-prime-AMP-activated protein kinase (AMPK). AMPK is a cellular energy sensor conserved in all eukaryotic cells. The kinase activity of AMPK is activated by the stimuli that increase the cellular AMP/ATP ratio. AMPK regulates the activities of a number of key metabolic enzymes through phosphorylation. It protects cells from stresses that cause ATP depletion by switching off ATP-consuming biosynthetic pathways. Alternatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq, Jul


2008]



# **Product images:**



Circular map for RC218572L1



Double digestion of RC218572L1 using Sgfl-Mlul