

## Product datasheet for RC218576L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CARD14 (NM\_052819) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** CARD14 (NM\_052819) Human Tagged ORF Clone Lentiviral Particle

Symbol: CARD14

Synonyms: BIMP2; CARMA2; PRP; PSORS2; PSS1

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_052819 **ORF Size:** 1302 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC218576).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 052819.1, NP 438170.1

RefSeq Size: 1648 bp
RefSeq ORF: 1305 bp
Locus ID: 79092
UniProt ID: Q9BXL6
Cytogenetics: 17q25.3

**Protein Families:** Druggable Genome

MW: 48.3 kDa







## **Gene Summary:**

This gene encodes a caspase recruitment domain-containing protein that is a member of the membrane-associated guanylate kinase (MAGUK) family of proteins. Members of this protein family are scaffold proteins that are involved in a diverse array of cellular processes including cellular adhesion, signal transduction and cell polarity control. This protein has been shown to specifically interact with BCL10, a protein known to function as a positive regulator of cell apoptosis and NF-kappaB activation. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Apr 2012]