

## Product datasheet for **RC218585**

### WHIP (WRNIP1) (NM\_020135) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	WHIP (WRNIP1) (NM_020135) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	WHIP
Synonyms:	bA420G6.2; CFAP93; FAP93; WHIP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RC218585 representing NM\_020135  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGGAGGTGAGCGGGCCGGAAGACGACCCCTTCCTTTTCGAGCTGCACCAGGTGCAGTGCCCGTGTGCC  
AGCAGATGATGCCCGCCGCGACATCAACTCGCACCTGGACCGCTGTCTGCTGCTCCACCCGGCGGGCA  
CGCGGAGCCCGCGCCGGTTCGACCCGCGCCGGGAGCGGGCAAGGGGCCCTCGCCGCCGCGCCAAG  
AGGCGCGGCTGTTCGAGAGCTCGGCGCTGAAGCAGCCAGCCACCCGACGGCAGCCGAGAGCAGCGAGG  
GCGAGGGTGAGGAGGGCAGCAGCGCGGAGACCCGAGAGCCGCGAGAGCTACGACGCGCCGCCACACC  
CAGCGCGCCCGCCTTATCCCGACTTCGCGGTGGCCGCTCCAGCAGCCCGGGAGGAAGGGTTCGGGG  
AAGAGGCCGCGCGCCGCCCGCGCGGGGAGCGCTCTCGCGCAGCTGGGACGAGGCGGAGGCGCAGG  
AGGAGGAGGAGGCGTGGCGACGGCGATGGCGACGGGGACGCGGACGCGGACGGCAGGACGCCGGG  
GCACTGGGACGCGGACGCTGCCAAGCCGCCACCGCCTTCGGGGCCAGTGGCGGGGCGCCCGCACCCC  
CGGGCGTGGCTGCCGAGGAGATCCGACAGATGCTACAGGGCAAGCCGCTGGCCGACACGATGCGTCCTG  
ACACGCTGCAGGATTACTTCGGGCAGAGCAAGGCCGTTGGCCAGGATACCTGCTGCGCTCGCTCCCTGGA  
GACCAACGAAATCCCCTCGTTATCCTGTGGGGCCGCCGGGCTGCGGCAAGACCACTCTGGCTCACATC  
ATAGCCAGCAACGAAAGAAACATAGCATAAGGTTTGTGACATTATCTGCAACAAATGCCAAGACAAATG  
ATGTGCGAGATGTCATAAAACAAGCTCAAAATGAAAAGAGCTTTTTCAAAGGAAACCATCCTTTTTAT  
TGATGAGATTCATCGTTCAATAAATCTCAGCAGGACACTTTCTTCTCACGTGGAATGTGGGACGATC  
ACTCTGATTGGGCAACCACTGAAAACCTTCTTCCAGGTCAACGCTGCTTCTTGAGCCGCTGTCGAG  
TGATTGTTCTTGAGAAGCTTCCAGTAGAGGCAATGGTGACTATTTAATGCGAGCGATCAACTCCCTGGG  
AATCCACGTCCTAGACTCTAGCCGTCCTACTGACCCTCTGAGCCACAGCAGCAACAGCAGCTCAGAGCCC  
GCCATGTTTCATAGAGGATAAAGCAGTAGACACCCTGGCTTACCTCAGTGACGGTGACGCCGAGCTGGGT  
TGAACGGACTGCAGCTGGCGGTGCTGGTAGGTTAAGCTCTAGGAAGATGTTCTGTAAGAAGAGTGGGCA  
ATCCTATTCTCCAGTAGAGTTCTGATCACAGAGAATGACGTGAAGGAGGGCCTACAGCGATCCACATT  
TTATATGACCGGGCAGGTGAGGAGCATTACAACCTGCATCTCCGCCCTGCACAAGTCCATGCGGGGCTCAG  
ACCAGAACGCCTCCCTCTACTGGCTGGCTCGCATGCTCGAGGGAGGAGGACCCACTCTACGTGGCAGG  
GAGGCTTGTGAGTTTGCAGCGAGGACATAGGTCTGGCAGACCCGCTGCGTTAACACAAGCGGTTGCT  
GCCTACCAAGGCTGTCATTTTATAGGCATGCCTGAATGTGAGGTGCTTCTGGCCAGTGTGTGGTCTACT  
TTGCCAGAGCCCAAGTCCATTGAGGTGTACAGCGCCTACAACAACGTCAAAGCCTGCCTGAGGAACCA  
CCAGGGGCCACTGCCCCCGTGCCTTGCACCTGAGGAACGCGCCCACTAGGCTGATGAAGGATTTGGG  
TATGGCAAAGGCTACAAGTACAACCCATGTACAGCGAGCCTGTGGATCAGGAGTACCTGCCTGAAGAGT  
TGAGGGGGTAGATTTCTTCAAGCAGAGGAGGTGC

ACGCGTACGCGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC218585 representing NM\_020135  
Red=Cloning site Green=Tags(s)

```
MEVSGPEDDPFLSQLHQVQPCVQCQMMPAAHINSHLDRCLLLHPAGHAEPAAAGSHRAGERAKGPSPPGAK
RRRLSESSALKQPATPTAAESSEGEEGEGDDGGGETESRESYDAPPTPSGARLIPDFPVARSSSPGRKGS
KRPA AAAAAGSASPRSWDEAEAQEEEEAVGDGDGDADADGEDDPGHWDADAAEAATAFGASGGGRPH
RALAAEEIRQMLQGKPLADTMRPDTLQDYFGQSKAVGQDTLLRSLLETNEIPSLILWGPPGCGKTTLAHI
IASNSKKHSIRFVTLSATNAKTNDVYRDIKQAQNEKSFFKRKTIILFIDEIHRFNKSQQDTFLPHVCGTI
TLIGATTENPSFQVNAALLSRCRVIVLEKLPVEAMVTILMRAINS LGIHLVLDSSRPTDPLSHSSNSSEP
AMFIEDKAVDTLAYLSDGDARAGLNGLQLAVLARLSSRKMFCCKKSGQSYSPSRVLITENDYKEGLQRSHI
LYDRAGEEHYNCISALHKSMRGSQNASLYWLARMLEGGEDPLYVARRLVRFASEDIGLADPSALTQAVA
AYQGCHFIMGPECEVLLAQCVVYFARAPKSI EYVSAYNNVKAACLRNHQGPLPPVPLHLRNAPTRLMKDLG
YKGKYKYNPMYSEPVQDEYLP EELRGVDFFKQRR
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8072\\_a11.zip](https://cdn.origene.com/chromatograms/mk8072_a11.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_020135

**ORF Size:** 1995 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_020135.3](#)

**RefSeq Size:** 2670 bp

**RefSeq ORF:** 1998 bp

**Locus ID:** 56897

**UniProt ID:** [Q96S55](#)


**Cytogenetics:** 6p25.2

**Domains:** AAA, AAA, ZnF\_Rad18


**MW:** 72 kDa

**Gene Summary:** Werner's syndrome is a rare autosomal recessive disorder characterized by accelerated aging that is caused by defects in the Werner syndrome ATP-dependent helicase gene (WRN). The protein encoded by this gene interacts with the exonuclease-containing N-terminal portion of the Werner protein. This protein has a ubiquitin-binding zinc-finger domain in the N-terminus, an ATPase domain, and two leucine zipper motifs in the C-terminus. It has sequence similarity to replication factor C family proteins and is conserved from E. coli to human. This protein likely accumulates at sites of DNA damage by interacting with polyubiquitinated proteins and also binds to DNA polymerase delta and increases the initiation frequency of DNA polymerase delta-mediated DNA synthesis. This protein also interacts with nucleoporins at nuclear pore complexes. Two transcript variants encoding different isoforms have been isolated for this gene. [provided by RefSeq, Jul 2012]

Product images:



Circular map for RC218585



Western blot validation of overexpression lysate (Cat# [LY412642]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC218585 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).