

Product datasheet for RC218596L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Proprotein convertase PC4 (PCSK4) (NM_017573) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Proprotein convertase PC4 (PCSK4) (NM 017573) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Proprotein convertase PC4

Synonyms: PC4; SPC5

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clo


Sequence:

The ORF insert of this clone is exactly the same as(RC218596).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_017573

ORF Size: 2265 bp



Proprotein convertase PC4 (PCSK4) (NM_017573) Human Tagged Lenti ORF Clone - RC218596L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 017573.3</u>, <u>NP 060043.2</u>

 RefSeq Size:
 2674 bp

 RefSeq ORF:
 2268 bp

 Locus ID:
 54760

 UniProt ID:
 Q6UW60

 Cytogenetics:
 19p13.3

Protein Families: Druggable Genome, Protease

MW: 82.6 kDa


Gene Summary: This gene encodes a member of the subtilisin-like proprotein convertase family, which

includes proteases that process protein and peptide precursors trafficking through regulated or constitutive branches of the secretory pathway. The encoded protein undergoes an initial autocatalytic processing event in the ER to generate a heterodimer which exits the ER and sorts to subcellular compartments where a second autocatalytic even takes place and the catalytic activity is acquired. This gene encodes one of the seven basic amino acid-specific members which cleave their substrates at single or paired basic residues. The protease is expressed only in the testis, placenta, and ovary. It plays a critical role in fertilization, fetoplacental growth, and embryonic development and processes multiple prohormones including pro-pituitary adenylate cyclase-activating protein and pro-insulin-like growth factor

II. [provided by RefSeq, Jan 2014]



Product images:



Circular map for RC218596L4