

Product datasheet for RC218711L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Carboxypeptidase B2 (CPB2) (NM 016413) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Carboxypeptidase B2 (CPB2) (NM_016413) Human Tagged ORF Clone Lentiviral Particle

Symbol: Carboxypeptidase B2

Synonyms: CPU; PCPB; TAFI

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_016413 **ORF Size:** 1080 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC218711).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 016413.2, NP 057497.2

RefSeq Size:1560 bpRefSeq ORF:1082 bpLocus ID:1361

Cytogenetics: 13q14.13

Domains: Zn_carbOpept, Propep_M14

Protein Families: Druggable Genome, Protease, Secreted Protein

Protein Pathways: Complement and coagulation cascades





Carboxypeptidase B2 (CPB2) (NM_016413) Human Tagged ORF Clone Lentiviral Particle – RC218711L4V

MW: 40.7 kDa

Gene Summary:

Carboxypeptidases are enzymes that hydrolyze C-terminal peptide bonds. The carboxypeptidase family includes metallo-, serine, and cysteine carboxypeptidases. According to their substrate specificity, these enzymes are referred to as carboxypeptidase A (cleaving aliphatic residues) or carboxypeptidase B (cleaving basic amino residues). The protein encoded by this gene is activated by trypsin and acts on carboxypeptidase B substrates. After thrombin activation, the mature protein downregulates fibrinolysis. Polymorphisms have been described for this gene and its promoter region. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jun 2013]