

Product datasheet for RC218815L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Integrin alpha 9 (ITGA9) (NM_002207) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Integrin alpha 9 (ITGA9) (NM_002207) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Integrin alpha 9

Synonyms: ALPHA-RLC; ITGA4L; RLC

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC218815).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002207

ORF Size: 3105 bp



Integrin alpha 9 (ITGA9) (NM_002207) Human Tagged Lenti ORF Clone - RC218815L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002207.2</u>

 RefSeq Size:
 3962 bp

 RefSeq ORF:
 3108 bp

 Locus ID:
 3680

 UniProt ID:
 013797

Cytogenetics: 3p22.2

Domains: FG-GAP

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Cell adhesion molecules (CAMs),

Dilated cardiomyopathy, ECM-receptor interaction, Focal adhesion, Hypertrophic

cardiomyopathy (HCM), Regulation of actin cytoskeleton


MW: 114.52 kDa

Gene Summary: This gene encodes an alpha integrin. Integrins are heterodimeric integral membrane


glycoproteins composed of an alpha chain and a beta chain that mediate cell-cell and cell-matrix adhesion. The protein encoded by this gene, when bound to the beta 1 chain, forms an integrin that is a receptor for VCAM1, cytotactin and osteopontin. Expression of this gene has been found to be upregulated in small cell lung cancers. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC218815L4



Double digestion of RC218815L4 using Sgfl and Mlul