

Product datasheet for RC218825L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PI4KA (NM_002650) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PI4KA (NM_002650) Human Tagged ORF Clone Lentiviral Particle

Symbol: PI4KA

Synonyms: PI4K-ALPHA; pi4K230; PIK4CA

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_002650

ORF Size: 2562 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC218825).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002650.1

 RefSeq Size:
 3034 bp

 RefSeq ORF:
 2565 bp

 Locus ID:
 5297

 Cytogenetics:
 22q11.21

Domains: PI3_PI4_kinase, PI3Ka

Protein Families: Druggable Genome

Protein Pathways: Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system





ORIGENE

MW: 96.8 kDa

Gene Summary: This gene encodes a phosphatidylinositol (PI) 4-kinase which catalyzes the first committed

step in the biosynthesis of phosphatidylinositol 4,5-bisphosphate. The mammalian PI 4-kinases have been classified into two types, II and III, based on their molecular mass, and modulation by detergent and adenosine. The protein encoded by this gene is a type III enzyme that is not inhibited by adenosine. Alternative splicing results in multiple transcript

variants encoding distinct isoforms. [provided by RefSeq, Apr 2018]