

## Product datasheet for RC218843L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## NIPP1 (PPP1R8) (NM\_014110) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: NIPP1 (PPP1R8) (NM 014110) Human Tagged ORF Clone Lentiviral Particle

Symbol: NIPP

Synonyms: ARD-1; ARD1; NIPP-1; NIPP1; PRO2047

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_014110

 ORF Size:
 1053 bp

**ORF Nucleotide** 

OTI Disclaimer:

\_, \_\_\_

Sequence:

The ORF insert of this clone is exactly the same as(RC218843).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 014110.3

RefSeq Size: 2377 bp
RefSeq ORF: 1056 bp
Locus ID: 5511
UniProt ID: Q12972
Cytogenetics: 1p35.3
Domains: FHA

**Protein Families:** Druggable Genome, Transcription Factors





**MW:** 38.5 kDa

**Gene Summary:** This gene, through alternative splicing, encodes three different isoforms. Two of the protein

isoforms encoded by this gene are specific inhibitors of type 1 serine/threonine protein phosphatases and can bind but not cleave RNA. The third protein isoform lacks the phosphatase inhibitory function but is a single-strand endoribonuclease comparable to RNase E of E. coli. This isoform requires magnesium for its function and cleaves specific sites

in A+U-rich regions of RNA. [provided by RefSeq, Jul 2008]