

Product datasheet for RC218844L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MASP2 (NM 139208) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: MASP2 (NM_139208) Human Tagged ORF Clone Lentiviral Particle

Symbol:

MAP-2; MAP19; MASP-2; MASP1P1; sMAP Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 139208

ORF Size: 555 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC218844).

Sequence:

ACCN:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 139208.1

RefSeq Size: 738 bp RefSeq ORF: 558 bp Locus ID: 10747 **UniProt ID:** O00187 Cytogenetics: 1p36.22

Domains: CUB, EGF_CA, EGF

Protein Families: Druggable Genome, Protease, Secreted Protein





MASP2 (NM_139208) Human Tagged ORF Clone Lentiviral Particle - RC218844L3V

Protein Pathways: Complement and coagulation cascades

MW: 19 kDa

Gene Summary: This gene encodes a member of the peptidase S1 family of serine proteases. The encoded

preproprotein is proteolytically processed to generate A and B chains that heterodimerize to form the mature protease. This protease cleaves complement components C2 and C4 in order to generate C3 convertase in the lectin pathway of the complement system. The encoded protease also plays a role in the coagulation cascade through cleavage of prothrombin to form thrombin. Myocardial infarction and acute stroke patients exhibit reduced serum concentrations of the encoded protein. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed.

[provided by RefSeq, Feb 2016]