

Product datasheet for **RC218888**

PCDHA8 (NM_018911) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHA8 (NM_018911) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PCDHA8
Synonyms:	PCDH-ALPHA8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC218888 representing NM_018911
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGATTACTGCGAGGAGAGCTGGGATCCTGGCGACTACTCTTCTGCTCCTCGCAGCCT
 GGAAGGTGGGAGCGGCCAGCTCCACTACTCCGTCCCGAGGAGGCCAAACACGGCACCTTCGTGGGCCG
 GATCGCGCAGGACCTGGGGCTGGAGCTGGCGGAGCTGGTGCCGCGCCTGTTCCGGGTGGCGTCCAAAAGA
 CACCGGGACCTTCTGGAGGTAAGTCTGCAGAATGGCATTGTTGTTGTGAATTCTCGGATCGACCGGAGG
 AGCTGTGCGGGCGGAGCGCGGAGTGCAGCATCCACCTGGAGGTGATCGTGGACAGGCCGCTGCAGGTTTT
 CCATGTGGACGTGGAGGTGAAGGATGTTAATGACAACCCGCCAGTGTCCGGGTAAAAGACCAAAAGCTG
 TTTGTTTCAGAATCCAGAATGCCAGACTCTCGGTTCCGCTAGAGGGCGCGTCCGATGCAGATGTTGGAG
 CTAACCTCCGTGTTAACCTACAGGCTTAGCTCTCATGATTACTTCATGCTAGATGTGAATCAAAGAACGA
 TGAGAATAAACTGGTTGAGCTCGTATTAAGAAAATCCTTGACAGAGAGGACGCTCCTGCGCACCCTTA
 TTCTTGACAGCCACAGATGGGGGCAAACCTGAGCTCACAGGCACTGTTACAGCTGCTGGTCACAGTCTGG
 ATGTGAATGATAATGCTCCCACTTTGAAACAGTCTGAATACGAAGTAAGAATATTCGAAAACGCAGACAA
 CGGAACAACAGTTATCAAACGAATGCTTCTGATCCGGATGAAGGAGCCAATGGGGCAATTCATATTCT
 TTTAATAGCCTTGTGAAACTATGGTTATTGACCACTTTAGCATAGATCGAAATACGGGAGAAAATAGTGA
 TTCGGGGTAATTTGGATTTTGAACAAGAAAACCTTATACAAAATCCTCATTGACGCCACGGACAAAGGCCA
 TCCTCCCATGGCGGGTCATTGCACCGTTTTAGTGAGAAATTTGGATAAAAATGATAACGTCCTGAGATA
 GCACTGACTTCCTTATCCTTGCCTGTACGTGAAGACGCTCAATTTGGTACTGTATCGCCCTAATTAGCG
 TGAACGACCTCGATTAGGTGCCAACGGGACGCTGACCTGCTCCCTGATGCCCCATGTCCCTTCAAGCT
 GGTGTCCACCTTCAAGAATTACTACTCGTTGGTGCTGGACAGCGCCCTGGACCGCGAGAGAGTGTGCGCC
 TATGAGTTGGTGGTAACCGCGCGGGACGGGGGCTCGCCTTCGCTGTGGGCCACCGCCAGCTTGTCTGTGG
 AGGTGGCCGACGTGAACGACAATGCTCCGGCGTTGCGCGAGCCCGAGTACACGGTGTTCGTGAAGGAGAA
 CAACCCGCGGGCTGCCACATCTTCACGGTGTCTGCGCGAGACGCGGACGCGCAGGAGAACGCGTGGTG
 TCCTACTCGCTTGTGGAGCGCGGGTGGCGAGCGCTCGCTGTCGAGCTACATTCGGTGACACGGAGA
 GCGGCAAGGTGTACGCGCTGCAGCCGCTGGACCACGAGGAGCTAGAGCTGCTGCAGTTCAGGTGAGCGC
 GCGCGACGCGGGCGTGCCGCTCTGGGCGCAACGTGACGCTGCAGGTGTTCTGCTGGACGAGAATGAC
 AACGCGCGGCACTGCTGGAGCCTCGGGTGGTGGCACTGGTGGCGCAGCGAGCAAGCTGGTGCCCGGT
 CTGTGGGCGCGGCCACGTGGTAGCGAAGGTGCGCGCAGTGGACGCCGACTCGGGCTACAACGCGTGGCT
 TTCGTATGAGCTGCAGCCAGCTGCAAGCAGCCCTCGCATCCCCTCCGCTGGGGCTGTACACGGGCGAG
 ATCAGCACCCTCGTGTCTTGACGAAGCGGACTCTCCGCGCCACCGTCTGCTGGTCTGGTGAAGGATC
 ATGGTGAACCTGCGCTGACCGCCACGGCCACGGTCTGGTGTGCTGGTGGAGAGCGGCCAGGCTCCAAA
 AGCGTCATCGAGGCAGTCGGCTGGCGTTTTGGGTCCGGAAGCGGCGCTGGTGGATGTCAACGTGTACCTG
 ATCATCGCCATCTGCGCGGTATCCAGCCTGCTGGTGTCTACGCTGCTGCTGTACACTGCGCTGCGGTGCT
 CAGCACTGCCCCTGAGGGCGGGTGCCGGGCGGCAAGCCCACTCTGGTGTCTCCAGTGCAGTGGGGAG
 CTGGTCATACTCGCAACAACAGCCGAGAGGGTGTGCTCTGGTGAAGGGCCACCGAAGACGAGCTCATG
 GCCTTCAGCCCCCTGCCTTCTCTGATCTGGGATCAGTTGATGTAGGCGAAGAGCAAGATTTAAATGTTG
 ATCATGGCCTCAAACCACGACAGCCCAACCTGACTGGCGTTACTCTGCCTCCCTGAGAGCAGGCATGCA
 CAGCTCTGTGCACCTAGAGGAGGCTGGCATTCTACGGGCTGGTCCAGGAGGGCTGATCAGCAGTGGCCA
 ACAGTATCCAGTGCAACACCAGAACAGAGGAGGAGAGTGTCCCTCCAGTCCGTGCGGGTGTCAACA
 GCAACAGCTGGACCTTTAAATACGAGCAGGCAACCCCAACAATCCGGTCCCGGTGAGTTGCCCGACAA
 ATTCATTATCCAGGATCTCTGCAATCATCTCCATCCGCGAGGAGCCTACTAACAGCCAAATTGACAAA
 AGTGACTTCATAACCTTCGGCAAAAAGGAGGAGACCAAGAAAAAGAAAAAGAAAGGGTAACAAGA
 CCCAGGAGAAAAAGAGAAAGGGAACAGCAGCTGACAACAGTACCAG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGATAAGGTTAA

Protein Sequence: >RC218888 representing NM_018911
 Red=Cloning site Green=Tags(s)


MDYHWRGELGSWRLLLLLLLAAWKVGSGQLHYSVPPEAKHGTFVGRIAQDLGLELAELVPRLFRVASKR
 HRDLLEVSLQNGILFVNSRIDREELCGRSAECSTHLEIVDRPLQVFHVDVEVKDVNDNPPVFRVKDQKL
 FVSESRMPDSRFPLEGASDADVGANSVLTYRLSSHDFMLDVNSKNDENKLVLRKSLDREDAPAHHL
 FLTATDGGKPELTGTVQLLVTVLDVNDNAPTFEQSEYEVRIFFENADNGTTVIKLNASDPDEGANGAISYS
 FNSLVETMVIDHFSIDRNTGEIVIRGNLDFEQENLYKILIDATDKGHPPMAGHCTVLVRILDKNDNVPEI
 ALTSLSLPVREDAQFGTVIALISVNDLDSGANGQVTCSLMPHVPFKLVSTFKNYYSVLVDSALDRERSVA
 YELVVTARDGGSPSLWATASLSVEADVNDNAPAFAPQPEYTVFVKENPPGCHIFTVSARDADAQENALV
 SYSLVERRVGERSSSYISVHTESGKVYALQPLDHEELELLQFQVSARDAGVPPLGSNVTLQVFLDEND
 NAPALLEPRVGGTGGAASKLVPRSVGAGHVVAKVRADADSGYNWLSEYQPAASSPRIPFRVGLYTGE
 ISTTRVLDEADSPRHLLVLVDHGEPALETATATVLSLVESGQAPKASSRQAGVLGPEAALVDNVYL
 IIAICAVSSLLVLTLLLYTALRCSALPTEGGCRAGKPTLVCSAVGSWSYSQQPQRVCSGEGPPKTDLM
 AFSPCLPPDLGSVDVGEEQDLNVDHGLKPRQPNPDWRYASLRAGMHSSVHLEEAGILRAGPGGPDQQWP
 TVSSATPEPEAGEVSPPVGAGVNSNSWTFKYGPNPKQSGPGELPKFIIIPGSPAIISIRQPTNSQIDK
 SDFITFGKKEETKKKKKKKKGNKTQEKKEKGNSTTDSNDQ

SGPTRRRL**EQKLISEEDLA**ANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8010_a01.zip

Restriction Sites: SgfI-RsrII

Cloning Scheme:



ACCN: NM_018911


ORF Size: 2850 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_018911.3
RefSeq Size:	5260 bp
RefSeq ORF:	2853 bp
Locus ID:	56140
UniProt ID:	Q9Y5H6
Cytogenetics:	5q31.3
Domains:	CA
Protein Families:	Transmembrane
MW:	99.7 kDa


Gene Summary:

This gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC218888



Western blot validation of overexpression lysate (Cat# [LY412923]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC218888 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).