

Product datasheet for **RC218892**

ERG (NM_004449) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ERG (NM_004449) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ERG
Synonyms:	erg-3; p55
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC218892 representing NM_004449.
 Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGATTCAGACTGTCCCGACCCAGCAGTCATATCAAGGAAGCCTTATCAGTTGTGAGTGAGGACCAG
TCGTTGTTTGTGAGTGTGCCTACGGAACGCCACCTGGCTAAGACAGAGATGACCCGCTCCTCCTCCAGC
GACTATGGACAGACTTCCAAGATGAGCCACGCTCCCTCAGCAGGATTGGCTGTCTCAACCCCAAGCC
AGGGTCACCATCAAAATGGAATGTAACCTAGCCAGGTGAATGGCTCAAGGAACTCTCCTGATGAATGC
AGTGTGGCCAAAGGCGGGAAGATGGTGGGAGCCAGACACCGTTGGGATGAACTACGGCAGCTACATG
GAGGAGAAGCACATGCCACCCCAACATGACCACGAACGAGCGCAGAGTTATCGTGCCAGCAGATCCT
ACGCTATGGAGTACAGACCATGTGCGGCAGTGGCTGGAGTGGGCGGTGAAAGAATATGGCCTTCCAGAC
GTCAACATCTTGTATTCCAGAACATCGATGGGAAGGAACTGTGCAAGATGACCAAGGACGACTTCCAG
AGGCTCACCCCAAGCTACAACGCCGACATCCTTCTCTCACATCTCCACTACCTCAGAGAGACTCCTCTT
CCACATTTGACTTCAGATGATGTTGATAAAGCCTTACAAAACCTCCACGGTTAATGCATGCTAGA AAC
ACAGATTTACCATATGAGCCCCCAGGAGATCAGCCTGGACCGGTACGGCCACCCCAAGCCCAAGCTCG
AAAGCTGCTCAACCATCTCCTTCCACAGTGCCCAAACTGAAGACCAGCGTCTCAGTTAGATCCTTAT
CAGATTCCTGGACCAACAAGTAGCCGCTTGC AAATCCAGGCAGTGGCCAGATCCAGCTTTGGCAGTTT
CTCCTGGAGCTCCTGTGCGGACAGCTCCAACCTCCAGCTGCATCACCTGGGAAGGCACCAACGGGGAGTTC
AAGATGACGGATCCCGACGAGGTGGCCCGGCGCTGGGGAGAGCGGAAGAGCAAACCAACATGAACTAC
GATAAGCTCAGCCGCGCCTCCGTTACTACTATGACAAGAATCATGACCAAGGTCCATGGGAAGCGC
TACGCCACAAGTTCGACTTCCACGGGATCGCCAGGCCCTCCAGCCCCACCCCGGAGTCACTCTG
TACAAGTACCCCTCAGACCTCCCGTACATGGGCTCCTATCACGCCACCCACAGAAGATGAACTTTGTG
GGCCCCACCCCTCCAGCCCTCCCGTGACATCTTCCAGTTTTTTTGTGCCCCAAACCCATACTGG AAT
TCACCAACTGGGGTATATACCCCAACTAGGCTCCCCACCAGCCATATGCCTTCTCATCTGGGCACT
TACTAC
AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAGGTTTAA
```

Protein Sequence:

>Peptide sequence encoded by RC218892
 Blue=ORF Red=Cloning site Green=Tag(s)

```
MIQTVDPAAHIKEALSVVSEDQSLFECAYGTPHLAKTEMTASSSSDYGQTSKMSPRVPQQDWLSQPPA
RVTIKMECNPSQVNGSRNSPDECSVAKGGKMGVSPDTVGMNYGSYMEEKHMPPPNMTTNERRIVPADP
TLWSTDHVRQWLEWAVKEYGLPDVNILLFQNI DGKELCKMTKDDFQRLTPSYNADILLSHLHYLRETPL
PHLTSDVDKALQNSPRLMHARNTDLPYEPPRRSAWTGHGHTPQSKAAQPSPTVPKTEDQRPQLDPY
QILGPTSSRLANPGSGQIQLWQFLLELLSDSSNSSCITWEGTNGEFKMTDPDEVARRWGERKSKPNMNY
DKLSRALRYYYDKNIMTKVHGKRYAYKFDHGI AQALQPHPPESLYKYPSDLPYMGSYHAHPQKMN FV
APHPALPVTSSSFFAAPNPYWNSTGGIYPNTRLPTSHMPSHLGTYY
SGPTRTRPLEQKLI SEEDLAANDILDYKDDDDKV
```

Recombinant protein using RC218892 also available, [TP318892](#)

Chromatograms:

https://cdn.origene.com/chromatograms/mg2697_a01.zip

Restriction Sites:

Sgfl-RsrII

Cloning Scheme:


ACCN: NM_004449

ORF Size: 1386 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_004449.4](#)

RefSeq Size: 3097 bp

RefSeq ORF: 1389 bp

Locus ID: 2078

UniProt ID: [P11308](#)

Cytogenetics: 21q22.2


Domains: ETS, SAM_PNT

Protein Families: Druggable Genome, Transcription Factors


MW: 52 kDa

Gene Summary: This gene encodes a member of the erythroblast transformation-specific (ETS) family of transcriptions factors. All members of this family are key regulators of embryonic development, cell proliferation, differentiation, angiogenesis, inflammation, and apoptosis. The protein encoded by this gene is mainly expressed in the nucleus. It contains an ETS DNA-binding domain and a PNT (pointed) domain which is implicated in the self-association of chimeric oncoproteins. This protein is required for platelet adhesion to the subendothelium, inducing vascular cell remodeling. It also regulates hematopoiesis, and the differentiation and maturation of megakaryocytic cells. This gene is involved in chromosomal translocations, resulting in different fusion gene products, such as TMPSSR2-ERG and NDRG1-ERG in prostate cancer, EWS-ERG in Ewing's sarcoma and FUS-ERG in acute myeloid leukemia. More than two dozens of transcript variants generated from combinatorial usage of three alternative promoters and multiple alternative splicing events have been reported, but the full-length nature of many of these variants has not been determined. [provided by RefSeq, Apr 2014]


Product images:




Circular map for RC218892



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ERG (Cat# RC218892, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ERG (Cat# [TA590181]). Positive lysates [LY401413] (100ug) and [LC401413] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY401413]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC218892 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified ERG protein (Cat# [TP318892]). The protein was produced from HEK293T cells transfected with ERG cDNA clone (Cat# RC218892) using MegaTran 2.0 (Cat# [TT210002]).