

Product datasheet for RC218938L2

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PSMF1 (NM_006814) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PSMF1 (NM_006814) Human Tagged Lenti ORF Clone

Tag:mGFPSymbol:PSMF1Synonyms:PI31

Selection:

Mammalian Cell

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

None

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC218938).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_006814

ORF Size: 813 bp



PSMF1 (NM_006814) Human Tagged Lenti ORF Clone - RC218938L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006814.2</u>

RefSeq Size: 3241 bp RefSeq ORF: 816 bp

Locus ID: 9491

UniProt ID: Q92530
Cytogenetics: 20p13

Protein Pathways: Proteasome

MW: 29.6 kDa

Gene Summary: The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure


composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a protein that inhibits the activation of the

proteasome by the 11S and 19S regulators. Alternative transcript variants have been

identified for this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC218938L2