

Product datasheet for RC219066L3

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Possible Modern Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SLC38A1 (NM_030674) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SLC38A1 (NM_030674) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: SLC38A1

Synonyms: ATA1; NAT2; SAT1; SNAT1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC219066).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_030674

ORF Size: 1461 bp





SLC38A1 (NM_030674) Human Tagged Lenti ORF Clone - RC219066L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

Aa trans

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 030674.3

RefSeq Size: 8487 bp RefSeq ORF: 1464 bp Locus ID: 81539 **UniProt ID:** Q9H2H9 Cytogenetics: 12q13.11

Domains:

Protein Families: Transmembrane

MW: 54 kDa

Gene Summary: Amino acid transporters play essential roles in the uptake of nutrients, production of energy,

chemical metabolism, detoxification, and neurotransmitter cycling. SLC38A1 is an important


transporter of glutamine, an intermediate in the detoxification of ammonia and the

production of urea. Glutamine serves as a precursor for the synaptic transmitter, glutamate

(Gu et al., 2001 [PubMed 11325958]).[supplied by OMIM, Mar 2008]



Product images:



Circular map for RC219066L3