

Product datasheet for RC219091

https://www.origene.com techsupport@origene.com FU: info-de@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

UBE2D3 (NM 181892) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UBE2D3 (NM_181892) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: UBE2D3

Synonyms: E2(17)KB3; UBC4/5; UBCH5C

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC219091 representing NM_181892

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGACAGAGAAATACGCTATGTTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC219091 representing NM_181892

Red=Cloning site Green=Tags(s)

MALKRINKELSDLARDPPAQCSAGPVGDDMFHWQATIMGPNDSPYQGGVFFLTIHFPTDYPFKPPKVAFT TRIYHPNINSNGSICLDILRSQWSPALTISKVLLSICSLLCDPNPDDPLVPEIARIYKTDRDKYNRLARE

WTEKYAML

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_181892

ORF Size: 444 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



UBE2D3 (NM_181892) Human Tagged ORF Clone - RC219091

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 181892.3</u>

 RefSeq Size:
 2623 bp

 RefSeq ORF:
 447 bp

 Locus ID:
 7323

 UniProt ID:
 P61077

Cytogenetics: 4q24

Protein Pathways: Ubiquitin mediated proteolysis

MW: 16.8 kDa

Gene Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting

abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme functions in the ubiquitination of the tumor-suppressor protein p53, which is induced by an E3 ubiquitin-protein ligase. [provided by

RefSeq, Jan 2017]