

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC219137L4V

UBXN2B (NM_001077619) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	UBXN2B (NM_001077619) Human Tagged ORF Clone Lentiviral Particle
Symbol:	UBXN2B
Synonyms:	p37
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001077619
ORF Size:	993 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC219137).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001077619.1, NP 001071087.1</u>
RefSeq Size:	5088 bp
RefSeq ORF:	996 bp
Locus ID:	137886
UniProt ID:	<u>Q14CS0</u>
Cytogenetics:	8q12.1
MW:	37.1 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Adapter protein required for Golgi and endoplasmic reticulum biogenesis
(PubMed:17141156). Involved in Golgi and endoplasmic reticulum maintenance during
interphase and in their reassembly at the end of mitosis (PubMed:17141156). The complex
formed with VCP has membrane fusion activity; membrane fusion activity requires USO1-
GOLGA2 tethering and BET1L (PubMed:17141156). VCPIP1 is also required, but not its
deubiquitinating activity (PubMed:17141156). Together with NSFL1C/p47, regulates the
centrosomal levels of kinase AURKA/Aurora A during mitotic progression by promoting
AURKA removal from centrosomes in prophase (PubMed:23649807). Also, regulates spindle
orientation during mitosis (PubMed:23649807).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US