

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC219187L2V

## Iduronate 2 sulfatase (IDS) (NM\_000202) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Iduronate 2 sulfatase (IDS) (NM_000202) Human Tagged ORF Clone Lentiviral Particle
Symbol:	lduronate 2 sulfatase
Synonyms:	ID2S; MPS2; SIDS
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_000202
ORF Size:	1650 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC219187).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 000202.2</u>
RefSeq Size:	2504 bp
RefSeq ORF:	1653 bp
Locus ID:	3423
UniProt ID:	<u>P22304</u>
Cytogenetics:	Xq28
Domains:	Sulfatase
Protein Families:	Druggable Genome



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	GENE Iduronate 2 sulfatase (IDS) (NM_000202) Human Tagged ORF Clone Lentiviral Particle – RC219187L2V	
Protein Pathwa	ys: Glycosaminoglycan degradation, Lysosome, Metabolic pathways	
MW:	61.87 kDa	
Gene Summary	This gene encodes a member of the sulfatase family of proteins. The encoded preproprotein is proteolytically processed to generate two polypeptide chains. This enzyme is involved in the lysosomal degradation of heparan sulfate and dermatan sulfate. Mutations in this gene are associated with the X-linked lysosomal storage disease mucopolysaccharidosis type II, also known as Hunter syndrome. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed. [provided by RefSeq, Jan 2016]	

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US