

Product datasheet for RC219316L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HFE (NM_139006) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: HFE (NM_139006) Human Tagged ORF Clone Lentiviral Particle

Symbol: HFE

Synonyms: HFE1; HH; HLA-H; MVCD7; TFQTL2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_139006

 ORF Size:
 1002 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC219316).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 139006.1

 RefSeq Size:
 1045 bp

 RefSeq ORF:
 1005 bp

 Locus ID:
 3077

 UniProt ID:
 Q30201

 Cytogenetics:
 6p22.2

Domains: MHC_I, ig, IGc1

Protein Families: Druggable Genome, Transmembrane





ORÏGENE

MW: 36.2 kDa

Gene Summary: The protein encoded by this gene is a membrane protein that is similar to MHC class I-type

length nature has not been determined. [provided by RefSeq, Jul 2008]

proteins and associates with beta2-microglobulin (beta2M). It is thought that this protein functions to regulate iron absorption by regulating the interaction of the transferrin receptor with transferrin. The iron storage disorder, hereditary haemochromatosis, is a recessive genetic disorder that results from defects in this gene. At least nine alternatively spliced variants have been described for this gene. Additional variants have been found but their full-