

## Product datasheet for RC219356L4V

## SPOP (NM\_003563) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	SPOP (NM_003563) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SPOP
Synonyms:	BTBD32; NEDMACE; NEDMIDF; NSDVS1; NSDVS2; TEF2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_003563
ORF Size:	1122 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC219356).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 003563.3, NP 003554.1</u>
RefSeq Size:	3053 bp
RefSeq ORF:	1125 bp
Locus ID:	8405
UniProt ID:	<u>O43791</u>
Cytogenetics:	17q21.33
Domains:	BTB, MATH
MW:	42 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



Gene Summary:This gene encodes a protein that may modulate the transcriptional repression activities of<br/>death-associated protein 6 (DAXX), which interacts with histone deacetylase, core histones,<br/>and other histone-associated proteins. In mouse, the encoded protein binds to the putative<br/>leucine zipper domain of macroH2A1.2, a variant H2A histone that is enriched on inactivated<br/>X chromosomes. The BTB/POZ domain of this protein has been shown in other proteins to<br/>mediate transcriptional repression and to interact with components of histone deacetylase<br/>co-repressor complexes. Alternative splicing of this gene results in multiple transcript<br/>variants encoding the same protein. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US