

Product datasheet for RC219394L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LATS2 (NM_014572) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LATS2 (NM 014572) Human Tagged ORF Clone Lentiviral Particle

Symbol: LATS2
Synonyms: KPM

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_014572 **ORF Size:** 3264 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC219394).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 014572.1

RefSeq Size: 4098 bp
RefSeq ORF: 3267 bp
Locus ID: 26524
UniProt ID: Q9NRM7
Cytogenetics: 13q12.11

Domains: UBA, pkinase, S_TK_X, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase





LATS2 (NM_014572) Human Tagged ORF Clone Lentiviral Particle - RC219394L4V

MW: 120 kDa

Gene Summary:

This gene encodes a serine/threonine protein kinase belonging to the LATS tumor suppressor family. The protein localizes to centrosomes during interphase, and early and late metaphase. It interacts with the centrosomal proteins aurora-A and ajuba and is required for accumulation of gamma-tubulin and spindle formation at the onset of mitosis. It also interacts with a negative regulator of p53 and may function in a positive feedback loop with p53 that responds to cytoskeleton damage. Additionally, it can function as a co-repressor of androgen-responsive gene expression. [provided by RefSeq, Jul 2008]