

Product datasheet for RC219398L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Angiopoietin 1 (ANGPT1) (NM 001146) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Angiopoietin 1 (ANGPT1) (NM_001146) Human Tagged ORF Clone Lentiviral Particle

Symbol: Angiopoietin 1

Synonyms: AGP1; AGPT; ANG1; HAE5

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag:Myc-DDKACCN:NM_001146

ORF Size: 1494 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC219398).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001146.3

 RefSeq Size:
 4338 bp

 RefSeq ORF:
 1497 bp

 Locus ID:
 284

 UniProt ID:
 Q15389

 Cytogenetics:
 8q23.1

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein

MW: 57.3 kDa





Angiopoietin 1 (ANGPT1) (NM_001146) Human Tagged ORF Clone Lentiviral Particle – RC219398L1V

Gene Summary:

This gene encodes a secreted glycoprotein that belongs to the angiopoietin family. Members of this family play important roles in vascular development and angiogenesis. All angiopoietins bind with similar affinity to an endothelial cell-specific tyrosine-protein kinase receptor. The protein encoded by this gene is a secreted glycoprotein that activates the receptor by inducing its tyrosine phosphorylation. It plays a critical role in mediating reciprocal interactions between the endothelium and surrounding matrix and mesenchyme and inhibits endothelial permeability. The protein also contributes to blood vessel maturation and stability, and may be involved in early development of the heart. Mutations in this gene are associated with hereditary angioedema. [provided by RefSeq, Aug 2020]