

Product datasheet for RC219404L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GABA B Receptor 2 (GABBR2) (NM 005458) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GABA B Receptor 2 (GABBR2) (NM_005458) Human Tagged ORF Clone Lentiviral Particle

Symbol: GABA B Receptor 2

Synonyms: DEE59; EIEE59; GABABR2; GPR51; GPRC3B; HG20; HRIHFB2099; NDPLHS

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_005458 **ORF Size:** 2823 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC219404).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005458.5

 RefSeq Size:
 5786 bp

 RefSeq ORF:
 2826 bp

 Locus ID:
 9568

 UniProt ID:
 075899

 Cytogenetics:
 9q22.33

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction





GABA B Receptor 2 (GABBR2) (NM_005458) Human Tagged ORF Clone Lentiviral Particle – RC219404L2V

MW: 105.8 kDa

Gene Summary:

The multi-pass membrane protein encoded by this gene belongs to the G-protein coupled receptor 3 family and GABA-B receptor subfamily. The GABA-B receptors inhibit neuronal activity through G protein-coupled second-messenger systems, which regulate the release of neurotransmitters, and the activity of ion channels and adenylyl cyclase. This receptor subunit forms an active heterodimeric complex with GABA-B receptor subunit 1, neither of which is effective on its own. Allelic variants of this gene have been associated with nicotine dependence.[provided by RefSeq, Jan 2010]