

Product datasheet for RC219467L3

OR2J2 (NM_030905) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: OR2J2 (NM_030905) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: OR2J2

Synonyms: dJ80I19.4; hs6M1-6; OR6-8; OR6-19; OR6.3.8; ORL684

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC219467).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_030905

ORF Size: 936 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OR2J2 (NM_030905) Human Tagged Lenti ORF Clone - RC219467L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030905.1</u>, <u>NP 112167.2</u>

 RefSeq Size:
 939 bp

 RefSeq ORF:
 939 bp

 Locus ID:
 26707

 UniProt ID:
 076002

 Cytogenetics:
 6p22.1

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Olfactory transduction

MW: 35.1 kDa


Gene Summary: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal

response that triggers the perception of a smell. The olfactory receptor proteins are

members of a large family of G-protein-coupled receptors (GPCR) arising from single codingexon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC219467L3