

Product datasheet for RC219576

OR12D2 (NM_013936) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OR12D2 (NM_013936) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR12D2
Synonyms:	DJ994E9.8; HS6M1-20
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC219576 representing NM_013936 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGCTGAATACAACCTCAGTCACCGAATTTCTCCTCTTGGGAGTGACAGACATTCAAGAACTGCAGCCTT
TTCTCTTCGTGGTTTTCTCACCATCTACTTCATCAGTGTGACTGGGAATGGAGCCGTTCTGATGATTGT
CATCTCCGATCCTAGACTCCATTCCTTATGTATTTCTCCTGGGAAACCTGTCTACCTGGATATCTGT
TACTCTACGGTGACACTGCCAAAATGCTGCAGAACTTTCTCTACACAAAAGCAATTTCTTTCTTGG
GATGCATAAGCCAGCTTCATTTCTCCACTCCCTGGGCAGCACGGAGTCCATGTTGTTCCCGTGATGGC
ATTTGACCTCTCTGTGGCTATCTGCAAGCACTTCGCTACACTGTCATCATGAACCTCAGCTCTGTACC
CAGATGGCCATCACAATCTGGGTCATTGGTTTTTCCATGCCCTGCTGCACTCCGTAATGACTTCTCGCT
TGAACCTCTGTGGTTCCAACCGTATCCATCATTTTCTCTGTGATATTAAGCCATTGCTAAAGCTGGCCTG
TGGGAACACTGAGCTTAATCAGTGGCTACTCAGTACTGTCACGGGGACAATTGCCATGGGCCCTTCTTT
CTGACACTTCTCTCCTATTTCTACATTACTTATCTCTTCTTCAAGACCCGTTCTTGTAGCATGCTCT
GTAAGCACTGTCCACTGTGCCTCCCACTTCATGGTAGTTATTCTTTTCTATGCACCTGTTCTTTTAC
CTATATCCATCCTGCGTTAGAGAGCTTCATGGACCAGGACCGGATTGTTGCCATCATGTACACTGTGGTC
ACTCCTGTACTAAACCACTGATCTATACTTTGAGGAACAAGGAAGTGAAGGGGGCCTTGGGTAGAGTGA
TCAGAAGGCTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC219576 representing NM_013936
Red=Cloning site Green=Tags(s)

MLNTTSVTEFLLLGVTDIQELQPFLFVVFLTIYFISVTGNGAVLMIVISDPRLHSLMYFFLGNLSYLDIC
 YSTVTLPKMLQNFLSTHKAIISFLGICISQLHFFHSLGSTESMLFAVMAFDLSVAICKPLRYTVIMNPQLCT
 QMAITIIVIGFFHALLHSVMTSRLNFCGSNRHHFLCDIKPLLLKACGNTELNQWLLSTVTGTIAMGPFF
 LTLLSYFYIITYLFFKTRSCSMCLKALSTCASHFMVVILFYAPVLFYIHPALESFMDQDRIVAIMYTVV
 TPVLNPLIYTLRNKEVKGALGRVIRRL



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8008_g09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_013936

ORF Size: 921 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_013936.3](#), [NP_039224.2](#)

RefSeq Size: 924 bp

RefSeq ORF: 924 bp

Locus ID: 26529

UniProt ID: [P58182](#)

Cytogenetics: 6p22.1


Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Olfactory transduction

MW: 34.6 kDa

Gene Summary: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jun 2015]

Product images:



Circular map for RC219576