

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC219757L3V

Mesothelin (MSLN) (NM_013404) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Mesothelin (MSLN) (NM_013404) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Mesothelin
Synonyms:	MPF; SMRP
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_013404
ORF Size:	1890 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC219757).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 013404.3</u>
RefSeq Size:	2076 bp
RefSeq ORF:	1893 bp
Locus ID:	10232
UniProt ID:	<u>Q13421</u>
Cytogenetics:	16p13.3
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane
MW:	68.99 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a preproprotein that is proteolytically processed to generate two protein
products, megakaryocyte potentiating factor and mesothelin. Megakaryocyte potentiating
factor functions as a cytokine that can stimulate colony formation of bone marrow
megakaryocytes. Mesothelin is a glycosylphosphatidylinositol-anchored cell-surface protein
that may function as a cell adhesion protein. This protein is overexpressed in epithelial
mesotheliomas, ovarian cancers and in specific squamous cell carcinomas. Alternative
splicing results in multiple transcript variants, at least one of which encodes an isoform that is
proteolytically processed. [provided by RefSeq, Feb 2016]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US