

Product datasheet for **RC219793**

KCNA5 (NM_002234) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCNA5 (NM_002234) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KCNA5
Synonyms:	ATFB7; HCK1; HK2; HPCN1; KV1.5; PCN1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC219793 representing NM_002234
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGATCGCCCTGGTCCCTGGAGAACGGCGGTGCCATGACCCTCAGAGGAGCGATGAGGCCCGGG
 CAGGCTGCGGCCAGGCCACAGGGGAGAGCTCCAGTGTCCCCGACGGCTGGGCTCAGCGATGGGCCAA
 GGAGCCGGCGCCAAGGGGCGCGCGCAGAGAGACGGGACTCGGGAGTGCGGCCCTGCCTCCGCTG
 CCGGACCCGGGAGTGCGGCCCTGCCTCCGCTGCCAGAGGAGCTGCCACGGCCTCGACGGCCGCTCCCG
 AGGACGAGGAGGAAGAAGGCGATCCCGCCTGGGCACGGTGGAGGACCAGGCTCTGGGCACGGCTCCCT
 GCACCACGCGCGTCCACATCAACATCTCCGGCTGCGCTTTGAGACGCAGCTGGGCACCCTGGCGCAG
 TTCCCAACACACTCTGGGGACCCCGCAAGCGCTGCGCTACTTCGACCCCTGAGGAACGAGTACT
 TCTTCGACCGCAACCGGCCAGCTTCGACGGTATCCTCTACTACTACCAGTCCGGGGCCGCTCGGGAG
 GCCGGTCAACGTCTCCCTGGACGTGTTCCGGGACGAGATACGCTTCTACCAGTGGGGGACGAGGCCATG
 GAGCGCTTCCGCGAGGATGAGGGCTTATTAAAGAAGAGGAGAAGCCCTGCCCCGAACGAGTTCAGC
 GCCAGGTGTGGCTTATCTTCGAGTATCCGGAGAGCTCTGGGTCCGCGCGGGCCATCGCCATCGTCTCGGT
 CTTGGTTATCCTCATCTCCATCATCACCTTCTGCTTGGAGACCCTGCCTGAGTTCAGGGATGAACGTGAG
 CTGCTCCGCCACCCTCCGGCGCCCCACCAGCCTCCCGCGCCCGCCCTGGGGCCAACGGCAGCGGGTCA
 TGGCCCCGCCCTCGGCCCTACGGTGGCACCGCTCCTGCCAGGACCCTGGCCGACCCTTCTTCATCGT
 GGAGACCAGTGCATCTGGTTCACCTTCGAGCTGCTCGTGCCTTCTTCGCTGCCCGCAAGGCA
 GGGTCTCCCGAATCATGAACATCATCGATGTGGTGGCCATTTCCCTACTTCATCACCTGGGCA
 CCGAACTGGCAGAGCAGCAGCCAGGGGGCGGAGGAGCGGCCAGAATGGGCAGCAGGCCATGTCCTGCG
 CATCCTCCGAGTATCCGCTGGTCCGGGTGTTCCGCATCTCAAGCTCTCCCGCACTCCAAGGGGCTG
 CAGATCTGGGCAAGACCTTGCAGGCTCCATGAGGGAGCTGGGCTGCTCATCTTCTCTTCTTATCG
 GGGTATCCTCTTCTCCAGTGGCTTACTTCGCAGAGGCTGACAACCAGGGAACCCATTCTCTAGCAT
 CCCTGACGCTTCTGGTGGGAGTGGTACCATGACCACTGTGGGCTACGGGGACATGAGGCCATCACT
 GTTGGGGCAAGATCGTGGGCTCGTGTGCCATCGCCGGGTCTCACCATTGCCCTGCCTGTGCCCG
 TCATCGTCTCAACTTCAACTACTTCTACCACCGGAAACGGATCACGAGGAGCCGGCAGTCTTAAGGA
 AGAGCAGGCACTCAGAGCCAGGGGCGGGGCTGGACAGAGGAGTCCAGCGGAAGGTGAGCGGGAGCAGG
 GGATCCTTCTGCAAGGCTGGGGGACCCTGGAGAATGCAGACAGTCCCGAAGGGGACGTCGCCCTAG
 AGAAGTGAACGTCAAGGCAAGAGCAACGTGGACTTCCGGAGGTCCCTTATGCCCTCTGCTGGACAC
 CAGCCGGGAAACAGATTTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTAA

Protein Sequence:

>RC219793 representing NM_002234
 Red=Cloning site Green=Tags(s)


MEIALVPLENGGAMTVRGGDEARAGCGQATGGELQCPPTAGLSDGPKPAPKGRGAQRDADSGVRPLPPL
 PDPGVRPLPPLPEELPRPRRPPPEDEEEEGDPGLGTVEDQALGTASLHHQRVHINISGLRFETQLGTLAQ
 FPNTLLGDPAKRLRYFDPLRNEYFFDRNRPSFDGILYYYQSGRRLRRPVNVS�DFADEIRFYQLGDEAM
 ERFREDEGFIKEEEKPLPRNEFQRQVWLIFEYPESSGSARAIIVSVLVILISIIITFCLETLPEFRDERE
 LLRHPPAPHQPPAPANGSGVMAPPSGPTVAPLLPRTLADPFFIVETTCVIWTFELLVRFFACPSKA
 GFSRNIMNIIDVVAIFPYFITLGTLEAEQPPGGGGQNGQQAMSLAILRVIRLVRVFRIFKLSRHSKGL
 QILGKTLQASMRELGLLIFFLFIGVILFSSAVYFAEADNQGTHFSSIPDAFWAVVTMTTVGYGDMRPIT
 VGGKIVGSLCAIAGVLTIALPVPVIVSNFNFYHRETDHEEPVLLKEEQGTQSQGPGLDRGVQRKVSGRS
 GSFCKAGGTLENADSARRGSCPLEKCNVKAASNVDLRRSLYALCLDTSRETDL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/ja1695_e10.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_002234

ORF Size: 1839 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_002234.4](#)

RefSeq Size: 2865 bp

RefSeq ORF: 1842 bp

Locus ID: 3741

UniProt ID: [P22460](#)


Cytogenetics: 12p13.32

Protein Families: Druggable Genome, Ion Channels: Potassium, Transmembrane

MW: 67 kDa

Gene Summary:

Potassium channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. Four sequence-related potassium channel genes - shaker, shaw, shab, and shal - have been identified in *Drosophila*, and each has been shown to have human homolog(s). This gene encodes a member of the potassium channel, voltage-gated, shaker-related subfamily. This member contains six membrane-spanning domains with a shaker-type repeat in the fourth segment. It belongs to the delayed rectifier class, the function of which could restore the resting membrane potential of beta cells after depolarization and thereby contribute to the regulation of insulin secretion. This gene is intronless, and the gene is clustered with genes KCNA1 and KCNA6 on chromosome 12. Defects in this gene are a cause of familial atrial fibrillation type 7 (ATFB7). [provided by RefSeq, May 2012]

Product images:

Western blot validation of overexpression lysate (Cat# [LY419453]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC219793 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).