

Product datasheet for RC219797

BRCA1 (NM_007300) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BRCA1 (NM_007300) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BRCA1
Synonyms:	BRCA1; BRCC1; BROVCA1; FANCS; IRIS; PNCA4; PPP1R53; PSCP; RNF53
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC219797 representing NM_007300 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGGATCGCC

ATGGATTTATCTGCTCTTCGCGTTGAAGAAGTACAAAATGTCATTAATGCTATGCAGAAAATCTTAGAGT
GTCCCATCTGTCTGGAGTTGATCAAGGAACCTGTCTCCACAAAGTGTGACCACATATTTTGCAAATTTTG
CATGCTGAACTTCTCAACCAGAAGAAAGGGCCTTACAGTGTCTTTATGTAAGAATGATATAACCAA
AGGAGCCTACAAGAAAGTACGAGATTTAGTCAACTTGTGAAGAGCTATTGAAAAATTTGTGCTTTTC
AGCTTGACACAGTTTGGAGTATGCAAACAGCTATAATTTGCAAAAAGGAAAAAATACTCTCCTGAACA
TCTAAAAGATGAAGTTTCTATCATCCAAAGTATGGGCTACAGAAACCGTGCCAAAAGACTTCTACAGAGT
GAACCCGAAAATCCTTCTTGCAGGAAACAGTCTCAGTGTCCAACCTCTAACCTTGAAGTGTGAGAA
CTCTGAGGACAAAAGCAGCGGATACAACCTCAAAAGACGCTGTCTACATTGAATGGGATCTGATTCTTC
TGAAGTACCGTTAATAAGGCAACTTATTGCAAGTGTGGGAGATCAAGAATTGTTACAAATCACCCCTCAA
GGAACCAGGGATGAAATCAGTTTGGATTCTGCAAAAAGGCTGCTTGTGAATTTTCTGAGACGGATGTA
CAAATACTGAACATCATCAACCCAGTAATAATGATTTGAACCACTGAGAAGCGTGCAGCTGAGAGGCA
TCCAGAAAAGTATCAGGGTAGTTCTGTTCAAACCTGCATGTGGAGCCATGTGGCAGAAAATACTCATGCC
AGCTCATTACAGCATGAGAACAGCAGTTTATTACTCACTAAAGACAGAATGAATGTAGAAAAGGCTGAAT
TCTGTAATAAAAAGCAAACAGCCTGGCTTAGCAAGGAGCCAAACATAACAGATGGGCTGGAAGTAAGGAAAC
ATGTAATGATAGCGGACTCCCAGCACAGAAAAAAGGTAGATCTGAATGCTGATCCCCTGTGTGAGAGA
AAAGAATGGAATAAGCAGAACTGCCATGCTCAGAGAATCCTAGAGATACTGAAGATGTTCTTGGATAA
CACTAAATAGCAGCATTAGAAAAGTTAATGAGTGGTTTTCCAGAAGTATGAACTGTTAGGTTCTGATGA
CTCACATGATGGGAGTCTGAATCAAATGCCAAAGTAGCTGATGTATTGGACGTTCTAAATGAGGTAGAT
GAATATTCTGGTTCTTCCAGAGAAAATAGACTTACTGGCCAGTATCCTCATGAGGCTTTAATATGTA
GTGAAAGAGTTCACTCCAAATCAGTAGAGAGTAATATTGAAGACAAAATATTTGGGAAAACCTATCGGAA
GAAGGCAAGCCTCCCAACTTAAGCCATGTAACGAAAATCTAATTATAGGAGCATTGTTACTGAGCCA



[View online »](#)

CAGATAATACAAGAGCGTCCCCTCACAAATAAATTAAGCGTAAAAGGAGACCTACATCAGGCCTTCATC
 CTGAGGATTTTATCAAGAAAGCAGATTTGGCAGTTCAAAAGACTCCTGAAATGATAAATCAGGGAACATA
 CCAAACGGAGCAGAATGGTCAAGTGATGAATTTACTAATAGTGGTCATGAGAATAAAACAAAAGGTGAT
 TCTATTCAGAATGAGAAAAATCCTAACCAATAGAATCACTCGAAAAAGAATCTGCTTTCAAACGAAAAG
 CTGAACCTATAAGCAGCAGTATAAGCAATATGGAACCTCGAATTAATATCCACAATTCAAAAGCACCTAA
 AAAGAATAGGCTGAGGAGGAAGTCTTCTACCAGGCATATTCATGCGCTTGAAGTGTAGTGTAGTGTAGTAA
 CTAAGCCACCTAATTGTACTGAATGCAAATGATAGTTGTTCTAGCAGTGAAGAGATAAAGAAAAAAA
 AGTACAACCAAATGCCAGTCAGGCACAGCAGAAAACCTACAACCTCATGGAAGGTAAAGAACCTGCAACTGG
 AGCCAAGAAGAGTAACAAGCCAAATGAACAGACAAGTAAAAGACATGACAGTGATACTTTCCAGAGCTG
 AAGTTAACAAATGCACCTGGTCTTTTACTAAGTGTTCAAATACCAGTGAACCTAAAGAATTTGTCAATC
 CTAGCCTTCCAAGAGAAGAAAAAGAAGAGAACTAGAAACAGTTAAAGTGTCTAATAATGCTGAAGACCC
 CAAAGATCTCATGTTAAGTGGAGAAAGGGTTTTGCAAACCTGAAAGATCTGTAGAGAGTAGCAGTATTTCA
 CTGGTACCTGGTACTGATTATGGCACTCAGGAAAGTATCTCGTTACTGGAAGTTAGCACTCTAGGGAAGG
 CAAAAACAGAACCAAATAAATGTGTGAGTCAGTGTGCAGCATTGAAAACCCCAAGGACTAATTCATGG
 TTGTTCCAAAGATAATAGAAATGACACAGAAGGCTTTAAGTATCCATTGGGACATGAAGTTAACACAGT
 CGGAAAACAAGCATAGAAATGGAAGAAAAGTGAACCTTGATGCTCAGTATTTGCAGAATACATTCAGGTTT
 CAAAGCGCCAGTCATTTGCTCTGTTTTCAAATCCAGGAAATGCAGAAGAGGAATGTGCAACATTTCTCTGC
 CCACTCTGGGTCCTTAAAGAAACAAAGTCCAAAAGTCACTTTTGAATGTGAACAAAAGGAAGAAAATCAA
 GGAAAGAATGAGTCTAATATCAAGCCTGTACAGACAGTTAATATCACTGCAGGCTTTCTGTGGTTGGTC
 AGAAAGATAAGCCAGTTGATAATGCCAAATGTAGTATCAAAGGAGGCTCTAGGTTTTGTCTATCATCTCA
 GTTCAGAGGCAACGAACTGGACTATTACTCAAATAAATCATGGACTTTTACAAAACCCATATCGTATA
 CCACCATTTTCCCATCAAGTCATTTGTTAAAACCTAAATGTAAAGAAAAATCTGCTAGAGGAAAACTTTG
 AGCAACATTCATGTACCTGAAAGAGAAATGGGAAATGAGAACATTCCAAGTACAGTGAACACAATTAG
 CCGTAATAACATTAGAGAAAATGTTTTTAAAGGAGCCAGCTCAAGCAATATTAATGAAGTAGGTTCCAGT
 ACTAATGAAGTGGGCTCCAGTATTAATGAATAGGTTCCAGTGTGAAAACATTCAGCAGAACTAGGTA
 GAAACAGAGGGCCAAAATGAAATGCTATGCTTAGATTAGGGGTTTTGCAACCTGAGGCTATAAACAAG
 TCTTCTGGAAGTAATTGTAAGCATCCTGAAATAAAAAAGCAAGAATATGAAGAAGTAGTTCAGACTGTT
 AATACAGATTTCTCTCCATATCTGATTTAGATAAATAGAACAGCCTATGGGAAGTAGTCATGCATCTC
 AGGTTTGTCTGAGACACCTGATGACCTGTTAGATGATGGTGAATAAAGGAAGATACTAGTTTTGTCTGA
 AAATGACATTAAGGAAAGTCTGCTGTTTTAGCAAAAAGCGTCCAGAGAGGAGAGCTTAGCAGGAGTCTC
 AGCCCTTTCACCCATACACATTTGGCTCAGGGTACCAGAGGGGCAAGAAATAGAGTCTCAGAAG
 AGAACTTATCTAGTGAGGATGAAGAGCTCCCTGCTTCCAACACTTGTTATTTGGTAAAGTAAACAATAT
 ACCTTCTCAGTCTACTAGGCATAGCACCGTTGCTACCGAGTGTCTGTCTAAGAACACAGAGGAGAATTTA
 TTATCATTGAAGAATAGCTTAAATGACTGCAGTAAACAGGTAATATTGGCAAAGGCATCTCAGGAACATC
 ACCTTAGTGAGGAAACAAAATGTTCTGCTAGCTTGTTTTCTTACAGTGCAGTGAATTGGAAGACTTGAC
 TGCAAATACAAACACCCAGGATCCTTTCTGATTGGTCTTCCAAACAAATGAGGCATCAGTCTGAAAGC
 CAGGGAGTTGGTCTGAGTGACAAGGAATGGTTTCAGATGATGAAGAAAGAGGAACGGGCTTGAAGAAA
 ATAAATCAAGAAGAGCAAAGCATGGATTCAAACTTAGGTGAAGCAGCATCTGGGTGTGAGAGTGAACAAG
 CGTCTCTGAAGACTGCTCAGGGCTATCCTCTCAGAGTACATTTTAACTACTCAGCAGAGGGATACCATG
 CAACATAACCTGATAAAGCTCCAGCAGGAAATGGCTGAACTAGAAGCTGTGTTAGAACAGCATGGGAGCC
 AGCCTTCTAACAGCTACCTTCCATCATAAGTACTCCTCTGCCCTTGAGGACCTGCGAAAATCCAGAACA
 AAGCACATCAGAAAAAGGGGTGACCCAGTCTATTAAGAAAGAAAAATGCTGAATGAGCATGATTTTGAA
 GTCAGAGGAGATGTGGTCAATGGAAGAAACCAAGGTCCAAAGCGAGCAAGAGAATCCAGGACAGAA
 AGATCTTCAGGGGGCTAGAAATCTGTTGCTATGGGCCCTTACCAACATGCCACAGATCAACTGGAATG
 GATGGTACAGCTGTGTGGTCTCTGTGGTGAAGGAGCTTTCATCATTACCCTTGGCACAGGTGTCCAC
 CCAATTGTGGTTGTGAGCCAGATGCCTGGACAGAGGACAATGGCTTCCATGCAATTTGGCAGATGTGTG
 AGGCACCTGTGGTGACCCGAGAGTGGGTGTTGGACAGTGTAGCACTCTACCAGTGCCAGGAGCTGGACAC
 CTACCTGATACCCAGATCCCCACAGCCACTAC

ACGCGTACGCGGCGGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC219797 representing NM_007300
 Red=Cloning site Green=Tags(s)


MDLSALRVEEVQNVINAMQKILECPICLLEIKEPVSTKCDHIFCKFCMLKLLNQKKGPSQCPLCKNDITK
 RSLQESTRFSQLVEELLKIICAFQLDTGLEAYANSYNFAKKENNSPEHLKDEVSI IQSMGYRNRARLLQS
 EPENPSLQETSLSVQLSNLGTVRTLRKQRIQPQKTSVYIELGSDSSEDTVNKATYCSVGDQELLQITPQ
 GTRDEISLDSAKKAACEFSETDVTNTEHHQPSNNDLNTTEKRAAERHPEKYQGSSVSNLHVPCGTNTHA
 SSLQHENSLLLLTKDRMNVKEAEFCNKSKQPLARSQHNRWAGSKETCNDRRTPSTEKKVDLNADPLCER
 KEWNKQKLPCCSENPRDTEVPWITLNSSIQKVNEWF SRDELGSDSDSHGESESENAKVADVLDVLEVD
 EYSGSSEKIDLLASDPHEALICKSERVHKSVESENIEDKIFGKTYRKKASLPNLSHVTENLIIGAFVTEP
 QIIQERPLTNLKRKRRPTSGLHPEDFIKKADLAVQKTPEMINQGTNQTEQNGQVMNITNSGHENKTKGD
 SIQNEKNPNPIESLEKESAFKTKAEPISSSI SNMELELNIHNSKAPKKNRLRRKSSTRHIALELVVSRN
 LSPNCTELQIDSCSSSEI KKKKYNQMPVRHSRNLQLMEGKEPATGAKKSNKPNEQTSKRHSDTFPEL
 KLTNAPGSFTKCSNTSELKEFVNPSLPREEKEEKLETVKVSNNAEADPKDMLSGERVLQTERSVESSSIS
 LVPGTDYGTQESISLLEVSTLGAKTEPNKCVSQCAAFENPKGLIHGCSKDNRNDEGFKYPLGHEVNHS
 RETSIEMEESEDAQYLQNTFKVSKRQSFALFSNPGNAEEECATFSAHSGSLKKQSPKVFCECEQKEENQ
 GKNESNIKPVQTVNITAGFPVVGQKDKPVDNAKCSIKGGSRFCLSSQFRNETGLITPNKHGLLQNPYRI
 PPLFPIKSFVKTKCKKNLLEENFEHSMSPEREMGNENIPSTVSTISRNNIRENVFKGASSNINEVGSS
 TNEVGSSINEIGSSDENIQAELGRNRGPKLNAMLRLGVLQPEVYKQSLPGSNCKHPEIKKQYEEVVQTV
 NTDFSPYLISDNLEQPMGSSHASQVCSETPDDLDDGEIKEDTSAFENDIKESSAVFSKSVQRGELSRSP
 SPFTHTHLAQGYRRGAKKLESSEENLSEDEELPCFQHLLFGKVNIPSQSTRHSTVATECLSKNTEENL
 LSLKNSLNDCSNQVILAKASQEHHLSEETKCSASL FSSQCSELEDLTANTNTQDPFLIGSSKQMRHQSES
 QVGLSDKELVSDDEERGTGLEENNQEEQSMDSNLGAAAGCESETSVSEDCSGLSSQSDILTTQQRDTM
 QHNLIKLQQEMAELEAVLEQHGSQPSNSYPSIIISDSSALEDLRNPEQSTSEKGVTSIKERKMLNEHDFE
 VRGDVVNGRNHQGPKRARESQRDKIFRGLIECCYGPFTNMPDQLEWVQLCGASVVKELSSFTLTGTGVH
 PIVVVQPDAWTEUNGFAIGQMCEAPVVTREWVLDVALYQCQELDTYLIPQIPHSHY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

ACCN: NM_007300

ORF Size: 4794 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_007300.2](#), [NP_009231.1](#)

RefSeq Size: 7287 bp

RefSeq ORF: 5655 bp

Locus ID: 672

UniProt ID: [P38398](#)

Cytogenetics: 17q21.31


Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Ubiquitin mediated proteolysis

MW: 178.3 kDa

Gene Summary:

This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length nature of only some of these variants has been described. A related pseudogene, which is also located on chromosome 17, has been identified. [provided by RefSeq, May 2020]

Product images:


Circular map for RC219797